


## Smart windows redefine solar radiation control in buildings

June 30 2023, by Jiang Zhimo



The schematic illustration for the fabrication and modulation mechanism of smart windows. a The preparation strategy of selective light absorption electrochromic smart window based on co-assembly of multiple nanowires and Au nanorods. b The preparation strategy of wide-range thermochromic smart window based on co-assembly of VO<sub>2</sub> nanowires with different W doping amounts. c The working effect of the house equipped with these smart windows when applied with a small voltage or ambient temperature change. Credit: *Nature Communications* (2023). DOI: 10.1038/s41467-023-38353-4

A research team led by Prof. Yu Shuhong from the University of Science and Technology of China (USTC) of the Chinese Academy of Sciences (CAS) proposed a new strategy to prepare smart windows that



dynamically regulate solar radiation, providing a more effective window for solar spectrum regulation and heat management in buildings. The work is published in *Nature Communications*.

Installing intelligent windows that block <u>solar radiation</u> and regulate <u>indoor temperatures</u> is essential for the construction of energy-efficient buildings. Existing smart windows mainly regulate solar radiation by switching between transparent and opaque optical states, a process that often sacrifices the transmission of some visible light in order to block more solar radiation, thus affecting indoor lighting. Furthermore, the limited stimulus response makes it difficult for these smart windows to dynamically or selectively modulate solar radiation in response to complex weather changes and individual preferences.

Based on the unique optical properties of one-dimensional nanomaterials, the researchers synthesized and mixed Au nanorods with different aspect ratios, which can selectively absorb near-infrared light in a certain wavelength band without overly affecting the transmission of visible light, thus ensuring light illumination in the room. Subsequently, the multi-sized Au nanorod mixtures were co-assembled with electrochromic  $W_{18}O_{49}$  nanowires and conductive Ag nanowires to form an ordered mesh structure. The appearance of the smart windows is significantly altered in color by an external power supply. The synergistic effect of the two further improves the windows' solar light-blocking performance

Using the same interfacial co-assembly strategy, the researchers prepared thermochromic smart windows (WRT) with a wide response range based on the co-assembly of W-VO<sub>2</sub> nanowires with different W doping levels. It broadens the response temperature range and enables the number of W-VO<sub>2</sub> nanowires in the thermochromic state to vary with the <u>ambient temperature</u>, thereby dynamically modulating the color change of the smart windows.



Smart windows selectively block solar radiation and dynamically adjust the <u>room temperature</u> according to the <u>applied voltage</u> or the ambient temperature. And they can save even more energy consumption during the hotter months.

This research significantly improves the optical properties of windows by modulating the composition and structure of multiple types of materials, enabling the rapid, large-scale construction of smart windows that can be used for solar spectrum modulation, thus providing new solutions for the design, preparation and application of new electrochromic and thermochromic <u>smart windows</u>.

**More information:** Si-Zhe Sheng et al, Nanowire-based smart windows combining electro- and thermochromics for dynamic regulation of solar radiation, *Nature Communications* (2023). DOI: 10.1038/s41467-023-38353-4

## Provided by University of Science and Technology of China

Citation: Smart windows redefine solar radiation control in buildings (2023, June 30) retrieved 9 May 2024 from <u>https://techxplore.com/news/2023-06-smart-windows-redefine-solar.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.