

Deep-learning-assisted underwater 3D tactile tensegrity

July 17 2023



Construction diagram and applications of TENG based tensegrity . (A and B) Basic structures of the CP-TENG sensor (A) and RS-TENG sensor (B). (C)



Structural diagram of tensegrity. (D) Voltage ratio of CP-TENG for different *D/L* values. (E) Characteristics of voltage curves of RS-TENG in different states: twistable, bendable, and stretchable states. (F) System-level block schematic of the triboelectric-tensegrity-based tactile perception system for AUVs, showing analog signal acquisition, processing transmission, electronic speed control (ESC), and thruster driven from the sensor array to AUV control. ADC, analog-to-digital converter; GND, ground. Credit: *Research* (2023). DOI: 10.34133/research.0062

With the advancement of ocean detection technology, autonomous underwater vehicles (AUVs) have become an indispensable tool for exploring unknown underwater environments. However, existing sensors cannot enable AUVs to identify the environment in narrow spaces where optical or sonic reflection problems may occur.

In a recent publication in *Research*, a study presented the design of an underwater three-dimensional tactile tensegrity (U3DTT) system integrated soft self-powered triboelectric nanogenerators and deep-learning-assisted data analytics. This device shows advantages of multiple degrees of freedom, an ultrahigh sensitivity and fast response times. It is enabled by the structure that mimics terrestrial animals' musculoskeletal systems. This characteristic is capable of changing its shape caused by an external force.

Thus, via the 3D pose estimation of the U3DTT, it can measure and distinguish in real time the magnitude, location and orientation of perturbations from both flow field and interaction with obstacles. Moreover, the U3DTT is successfully integrated with an underwater robot. The U3DTT provides 3D sensing feedback for controlling an underwater robot in various tasks, illustrating its potential application in robotics with tactile feedback.



The paper, published by scientists from the Dalian Maritime University, Peking University and Beijing Institute of Nanoenergy and Nanosystems focuses on bionic underwater tactile sensing argued to enhance underwater sensing dimension. Currently, the main underwater perception method is highly dependent on sound fields.

With the continuous development of stealth/noise suppression technology, various marine powers are paying more and more attention to the research and application of non-acoustic physical field detection technology. Especially in near-field detection, underwater tactile perception based on hydrodynamic field can provide effective physical characteristic information of targets and environments and has significant application value in underwater target detection and deep-sea operations.

This result represents a sufficiently striking advance in underwater sensing technologies and applications. As Professor Xu who directs the Laboratory of Marine micro-nano energy and self-powered system in Dalian Maritime University, lead author of the study states the accumulated evidence shows, "U3DTT can complete tasks such as <u>environmental assessment</u> and autonomous obstacle avoidance in underwater three-dimensional space via estimating its own posture."

The authors hope that, in the future, triboelectric nanogenerator-based underwater bionic <u>tactile perception</u> as an important supplement to underwater acoustic/visual perception technology can solve the problem of information <u>perception</u> in restricted water areas and provide key information for the evaluation of surrounding environments by underwater intelligent equipment.

More information: Peng Xu et al, Deep-Learning-Assisted Underwater 3D Tactile Tensegrity, *Research* (2023). DOI: <u>10.34133/research.0062</u>



Provided by Research

Citation: Deep-learning-assisted underwater 3D tactile tensegrity (2023, July 17) retrieved 9 May 2024 from <u>https://techxplore.com/news/2023-07-deep-learning-assisted-underwater-3d-tactile-tensegrity.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.