# Future AI algorithms have potential to learn like humans, say researchers

July 20 2023, by Tatyana Woodall

Credit: Pixabay/CC0 Public Domain

Memories can be as tricky to hold onto for machines as they can be for humans. To help understand why artificial agents develop holes in their own cognitive processes, electrical engineers at The Ohio State University have analyzed how much a process called "continual learning" impacts their overall performance.

Continual learning is when a computer is trained to continuously learn a sequence of tasks, using its accumulated knowledge from old tasks to better learn new tasks.

Yet one major hurdle scientists still need to overcome to achieve such heights is learning how to circumvent the machine learning equivalent of memory loss—a process which in AI agents is known as "catastrophic forgetting." As [artificial neural networks](#) are trained on one new task after another, they tend to lose the information gained from those previous tasks, an issue that could become problematic as society comes to rely on AI systems more and more, said Ness Shroff, an Ohio Eminent Scholar and professor of computer science and engineering at The Ohio State University.

"As automated driving applications or other robotic systems are taught new things, it's important that they don't forget the lessons they've already learned for our safety and theirs," said Shroff. "Our research delves into the complexities of continuous learning in these artificial neural networks, and what we found are insights that begin to bridge the gap between how a machine learns and how a human learns."

Researchers found that in the same way that people might struggle to recall contrasting facts about similar scenarios but remember inherently different situations with ease, artificial neural networks can recall information better when faced with diverse tasks in succession, instead

of ones that share similar features, Shroff said.

The team, including Ohio State postdoctoral researchers Sen Lin and Peizhong Ju and professors Yingbin Liang and Shroff, will present their research later this month at the 40th annual [International Conference on Machine Learning](#) in Honolulu, Hawaii, a flagship conference in machine learning.

While it can be challenging to teach autonomous systems to exhibit this kind of dynamic, lifelong learning, possessing such capabilities would allow scientists to scale up machine learning algorithms at a faster rate as well as easily adapt them to handle evolving environments and unexpected situations. Essentially, the goal for these systems would be for them to one day mimic the learning capabilities of humans.

Traditional [machine learning](#) algorithms are trained on data all at once, but this team's findings showed that factors like task similarity, negative and positive correlations, and even the order in which an algorithm is taught a [task](#) matter in the length of time an artificial network retains certain knowledge.

For instance, to optimize an algorithm's memory, said Shroff, dissimilar tasks should be taught early on in the continual learning process. This method expands the network's capacity for new information and improves its ability to subsequently learn more similar tasks down the line.

Their work is particularly important as understanding the similarities between [machines](#) and the [human brain](#) could pave the way for a deeper understanding of AI, said Shroff.

"Our work heralds a new era of intelligent machines that can learn and adapt like their human counterparts," he said.

More information: Theory on Forgetting and Generalization of Continual Learning. newslab.ece.ohio-state.edu/res … eizhong_icml2023.pdf

Provided by The Ohio State University