

# Improving high-temperature stability of perovskite solar cells

July 13 2023

---



Credit: Pixabay/CC0 Public Domain

Perovskite solar cells (PSCs) have gained attention for their high power-conversion efficiencies and low-cost solution processing. However, ensuring their stability at high temperatures has been a challenge, as the points of contact between their different layers ("interfaces") are susceptible to degradation, leading to energy loss and decreased performance.

In a new study, researchers have found that they can minimize PSC degradation at high temperatures by using fluorinated aniliniums, a class of compounds used in pharmaceuticals, agrochemicals, and [materials science](#). The study was led by Michael Grätzel at EPFL, Edward Sargent at the University of Toronto, and Kenneth Graham at the University of Kentucky. It is published in *Science*.

The researchers incorporated fluorinated aniliniums in the "interfacial passivation" step of PSC fabrication. Interfacial passivation is a technique used to enhance the [stability](#) and performance of interfaces between different layers or materials to minimize defects, reduce charge recombination, and improve overall efficiency and stability.

Adding fluorinated aniliniums enhanced the stability of PSCs by avoiding progressive ligand intercalation. This prevented the continuous penetration of ligand molecules between the layers or structures of the perovskite material, which destroys the integrity of the crystals, leading to degradation and decreased performance of PSCs.

Using this approach, the scientists achieved a certified quasi-steady-state power-conversion efficiency of 24.09% for inverted-structure PSCs. When they tested an encapsulated PSC—a device within a protective enclosure—at a temperature of 85°C, 50% [relative humidity](#), and 1-sun illumination (the intensity of sunlight under normal, clear-sky conditions at solar noon), the device worked at its maximum power generation for an impressive 1560 hours (~65 days) while maintaining its functionality and efficiency.

The study is a major contribution to PSC stability and offers a potential solution for enhancing their performance, durability, and reliability in high-temperature environments, bringing us closer to the terawatt-scale deployment of this promising photovoltaic technology.

**More information:** So Min Park et al, Engineering ligand reactivity enables high-temperature operation of stable perovskite solar cells, *Science* (2023). [DOI: 10.1126/science.adi4107](https://doi.org/10.1126/science.adi4107).  
[www.science.org/doi/10.1126/science.adi4107](https://www.science.org/doi/10.1126/science.adi4107)

Provided by Ecole Polytechnique Federale de Lausanne

Citation: Improving high-temperature stability of perovskite solar cells (2023, July 13) retrieved 27 April 2024 from  
<https://techxplore.com/news/2023-07-high-temperature-stability-perovskite-solar-cells.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.