

Hollow carbon co-doped anatase titanium dioxide spheres hold promise for highperformance metal ion batteries

July 28 2023, by Zhang Nannan





(a-d) Calculated charge difference densities, (e) The total density of states plots, and (f-j) Adsorption energy comparison at the same location site of Li⁺ of four different location sites of Li⁺. Credit: Li Zhaoqian

According to a study published in *Renewables*, a research team led by Prof. Hu Linhua from the Hefei Institutes of Physical Science of the Chinese Academy of Sciences has improved the performance of metal ion batteries by enhancing the electrical conductivity and ionic mobility of electrode materials.

Anatase titanium dioxide (TiO_2) has attracted great interest as a promising anode for <u>lithium-ion batteries</u> due to its unique properties such as stability, low cost, environmental friendliness and safety. However, as a semiconductor, the intrinsically low ionic and <u>electrical</u> <u>conductivity</u> of TiO_2 leads to limited capacity and inferior rate capability and cycling performance, which seriously hinders its practical applications.

In this study, the researchers investigated the properties of oxygen vacancies and carbon co-doped O_2 hollow spheres (HS-TiO₂) and compared them with fully oxidized white TiO₂ hollow spheres (W-TiO₂).

They found that the bandgap was smaller when carbon dopant and oxygen vacancies (VO) were added to anatase TiO_2 .

In addition, the presence of localized electrons resulted in a lower barrier for the movement of Li ions, which accelerated the rate of ion diffusion. This made the oxygen vacancies and carbon co-doped TiO_2 hollow sphere (HS-TiO₂) more reversible than the fully oxidized TiO_2 (W-TiO₂) when Li ions were added and taken away.





(a, b) Scanning electron microscopy, (c, d) transmission electron microscopy, (e, f) high resolution transmission electron microscopy and (g-i) energy-dispersive system mapping images of HS-TiO₂. Credit: Li Zhaoqian

By changing the duration of a solvothermal reaction, the researchers can control the internal structure of the spheres, making them either solid, porous, or hollow. This adjustment allows them to maintain a consistent shape while changing the internal configuration.

The results of this study pave the way for further exploration and optimization of <u>carbon</u> co-doped TiO_2 hollow spheres and other similar



materials.

More information: Zhaoqian Li et al, Localized Electrons Accelerated Ionic and Charge Transfer for Superior Lithium Storage, *Renewables* (2023). DOI: 10.31635/renewables.023.202300031

Provided by Chinese Academy of Sciences

Citation: Hollow carbon co-doped anatase titanium dioxide spheres hold promise for highperformance metal ion batteries (2023, July 28) retrieved 9 May 2024 from <u>https://techxplore.com/news/2023-07-hollow-carbon-co-doped-anatase-titanium.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.