Taking a global look at dry and alternative water cooling of power plants





Age structure of global dry cooling generation capacity and associated water-carbon interactions. **a**,**d**, Curves indicate the estimated percentage of avoided water withdrawal (Δ Water withdrawal) and increased CO₂ emissions (Δ CO₂) from each age cohort to the sum of all ages' non-fossil (**a**) and fossil (**d**) dry cooling units in comparison with counterfactual cases of once-through freshwater cooling (dry versus once). **b**,**c**, The operating capacity of non-fossil (**b**) and fossil (**c**) units where the youngest fleets are at the bottom. The dominance of young fleets indicates an apparent more recent dry cooling technology deployment. Here, generation units that began operating in 2015 are defined as 0 years old. Age-specific avoided water withdrawal and consumption, together with increased CO₂ emissions for dry cooling units in comparison with



counterfactual cases of once-through and recirculating cooling are shown in Supplementary Fig. 2. Credit: *Nature Water* (2023). DOI: 10.1038/s44221-023-00120-6

Water scarcity and climate change is a threat to energy security, as carbon emission reduction from water and dry cooling of power plants remains a major challenge worldwide. An international collaboration of scientists including Gang He, Ph.D., of Stony Brook University, used global power plant data to demonstrate an integrated water-carbon management framework that bridges the gap to coupling diverse water carbon-mitigation technologies with other methods. Their findings are detailed in a paper published in *Nature Water*.

Thermal electric power generation uses substantial amounts of freshwater primarily for cooling of power plants, amounting to 40 to 50 percent of the total <u>water</u> withdrawal in the U.S. and 40 percent in Europe. Meanwhile, power generation accounted for approximately 36 percent of the energy-related carbon dioxide (CO_2) emissions across world economies in 2019.

The authors note that consequently, the power sector has a high dependence on freshwater resources and demonstrates intrinsic watercarbon interconnections that have critical implications on reliable electricity output and <u>energy security</u>, particularly under <u>climate change</u>.

In "Global assessment of the carbon-water tradeoff of dry cooling for thermal power generation," they conclude such integrated planning is crucial to address the complex interactions between water and energy systems. The team constructed a global unit-level framework to assess the impact of dry cooling—a vital water mitigation strategy—alongside alternative water sourcing and carbon capture and storage (CCS) under



different scenarios.

According to He, a co-author and Assistant Professor in the Department of Technology and Society at Stony Brook University, the research team collected unit-level power plant data, which included basic <u>power</u> <u>generation</u> unit information such as fuel and engine types, installed capacity, cooling technologies and other details. Then they estimated <u>carbon emissions</u> and water withdrawal based on what is known of emission factors at plants and water intensity by the cooling technologies, fuel types and local meteorology.

He says that from their global data the CO_2 emission and energy penalty from dry cooling units were found to be location and climate specific, and ranged from 1 to 15 percent of power plant output. Additionally, efficiency losses were high under climate changes scenarios.

On a positive note, the team discovered potentially promising solutions to alleviate <u>water scarcity</u> around the power plants—such as increasing accessibility to wastewater and brine water that can provide viable alternatives to dry cooling and reduce energy and CO_2 penalties.

Additionally, He and co-authors concluded that CCS emerged as a <u>valuable tool</u> to offset CO_2 emission tradeoffs associated with dry cooling, especially when alternative water sourcing alone is insufficient in certain power plant regions.

However, He stresses that the issue is complicated globally, as CCS could demand more energy and thus more emissions, and wastewater could be useful but has its limitations and may not be available near some <u>power plants</u>.

The authors are concerned about the potentially increasing water-carbon tradeoffs with dry cooling. They write, "Facing increasing water



concerns, dry cooling has been and may continually be promoted as an emerging freshwater mitigation technique in some major economies in the next few decades along with renewable energy transitions."

He says the research leading to the paper underscores the urgency of integrated <u>power</u> sector planning in the face of dual water-carbon challenges and "highlights the importance of considering climate-specific factors and interconnected systems to achieve sustainable energy solutions."

The work was led by Dr. Yue Qin of Peking University.

More information: Yue Qin et al, Global assessment of the carbon–water tradeoff of dry cooling for thermal power generation, *Nature Water* (2023). DOI: 10.1038/s44221-023-00120-6

Provided by Stony Brook University

Citation: Taking a global look at dry and alternative water cooling of power plants (2023, August 9) retrieved 9 May 2024 from <u>https://techxplore.com/news/2023-08-global-dry-alternative-cooling-power.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.