Neural networks hold the key to simpler sampling for snapshot compressive imaging

August 17 2023



Data from two sampling styles, coded-aperture sampling and multiscale manifold sampling, were processed with different neural networks to produce sets of images in nine color bands. Credit: Minghao Hu et al.

An international group of researchers led by Minghao Hu of the University of Arizona in Tucson and Zongliang Wu of Westlake



University in Hangzhou conducted experiments in multidimensional computational imaging to compare classic snapshot compressive imaging systems with their proposed system, which involves multiscale manifold sampling and neural decompression. They found that their method achieves comparable image quality, and holds strong promise due to expected advancements in artificial neural network processing capabilities.

The group's research was published in Intelligent Computing.

Cameras and other sensors can be used to capture rich data, but the more accurate it is, the more unmanageable the data becomes to capture, store, and process. The solution is sampling, that is, taking strategically spaced or masked snapshots of the target and combining them to get something that approximates the original by taking advantage of computationally guessable correlations in the data.

The challenge is to make smart trade-offs so that the setup and operation is manageable and the result is good quality despite being compressed.

Among the collection of techniques called snapshot compressive imaging, coded-aperture snapshot spectral imagers are specialized for capturing color information, and coded aperture compressive temporal imagers are specialized for video. These systems, called CASSI and CACTI, may be eclipsed by methods that rely on <u>neural networks</u> for <u>image reconstruction</u>.

Neural networks make for systems that are more compact and easily implemented because they perform optimization in a more generalized way, allowing less complicated types of sampling, such as multiscale manifold sampling.

CASSI-style "interlaced" sampling is like using color filters in



photography, whereas multiscale manifold sampling is more like stereopair imaging, and can be implemented on camera arrays, which are flexible and scalable. Such camera arrays can even be programmed while they are capturing images.

The researchers' multiscale manifold sampling system uses a kind of neural network called a "transformer" for visual data processing. In particular, it is a physics-aware transformer network, thus the system is called PAT.

The researchers compared PAT and CASSI for imaging with nine color bands using simulated data. Their <u>quantitative analysis</u> shows that both methods have strengths and weaknesses: PAT images score higher in structural similarity, and CASSI images score higher for peak signal-tonoise ratio.

They also compared PAT and CACTI for video using simulated data. The two systems achieved similar results, but the PAT system is easier and cheaper to set up.

In addition, the researchers demonstrated PAT by successfully reconstructing two scenes. One was captured in high-resolution grayscale and in low-resolution color, and the other was captured using a fourcamera array that captured three colors plus texture.

More information: Minghao Hu et al, Sampling for Snapshot Compressive Imaging, *Intelligent Computing* (2023). <u>DOI:</u> <u>10.34133/icomputing.0038</u>

Provided by Intelligent Computing



Citation: Neural networks hold the key to simpler sampling for snapshot compressive imaging (2023, August 17) retrieved 21 May 2024 from <u>https://techxplore.com/news/2023-08-neural-networks-key-simpler-sampling.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.