

# New approach may help extract more heat from geothermal reservoirs

September 20 2023, by Matthew Carroll

---



To produce more efficient geothermal systems, researchers have proposed a process called the fracture conductivity tuning technique. This approach involves preventing cold water and allowing hot water to flow through fractures — like the ones pictured here — in rock deep underground. Credit: Arash Dahi Taleghani

Geothermal heat offers a promising source of renewable energy with almost zero emissions, but it remains a relatively expensive option to generate electricity. A new technique proposed by Penn State scientists may help prevent "short-circuits" that can cause geothermal power plants to halt production, potentially improving the efficiency of geothermal power, the researchers said.

They published the work in the journal [Energy](#).

"The public perception of geothermal is that since it's renewable we should be able to produce from these resources infinitely," said co-corresponding author Arash Dahi Taleghani, professor of petroleum engineering at Penn State. "In practice, it doesn't work like that. Here we proposed a solution that could help overcome a major challenge in the field."

Enhanced geothermal systems involve injecting [cold water](#) into hot dry rock deep underground. The water travels through [fractures](#) in the rock and heats up, and production wells then pump the heated liquid to the surface where a power plant turns it into electricity.

However, wide fractures may allow large volumes of water to move too quickly to sufficiently heat up before reaching the production wells. Cooler production liquid impacts the efficiency of the power plant and can compromise the economics of the project, the scientists said.

"With these projects, you can get cold-water breakthroughs," Dahi Taleghani said. "Basically, the water takes a shortcut passing through the [reservoir](#). And because the water doesn't have a chance to heat up it can basically short-circuit the system."

Producers try to prevent these shortcuts before they form by adjusting how much water circulates through the system or potentially shutting

down production periodically, the scientists said. This means the plant cannot produce continuously, which would be a major benefit of geothermal heat over other sources of renewable [energy](#) like solar and wind.

The researchers instead have proposed adding materials or chemicals to the liquid pumped into the reservoir that would autonomously control flow from inside the rock itself. The process, called the fracture conductivity tuning technique, involves adding materials that could change properties with the temperature, hindering cold water and allowing hot water to flow through the fractures.

"All these things are happening inside rock—we don't have any access, and it's so hot and the pressure is so high that you can't have a valve or sensor there," Dahi Taleghani said. "But with this method, we can add something that basically acts like an autonomous regulator, reducing the fluid passing through each fracture when some parts of the reservoir get cold and letting it go if it's hot."

The goal is to spread the flow more uniformly across the reservoir to sweep more heat from the rocks to the production wells and to prevent shortcuts that allow cooler water to rush to the production wells while heat remains in underutilized portions of the reservoir, the scientists said.

Using modeling techniques, the team found the process could increase the cumulative heat extraction at an enhanced geothermal site by more than 65% over 50 years of production and could prevent early appearances of cold-water breakthroughs.

"These findings confirm significant improvements in energy that can be harvested by using this technique," said co-author Qitao Zhang, a doctoral candidate in the John and Willie Leone Department of Energy

and Mineral Engineering and co-author on the paper. "We are proposing an effective approach by controlling the flow deep inside the reservoir."

Reservoirs with high fracture density and connectivity, like the complicated geologies found in real-world settings, could provide even better results, the scientists said.

The team developed a field case by mapping the fracture networks from a rock outcrop in Arches National Park in Utah and found that if they applied their technique in this real-world geology, it would provide an extra [heat](#) extraction of 101% over 50 years of production.

"This technology could be used to make renewables cost-effective and competitive with other energy sources," Dahi Taleghani said. "This shows there are still tremendous energy resources in the subsurface that we can use without damaging our environment."

**More information:** Qitao Zhang et al, Autonomous fracture flow tuning to enhance efficiency of fractured geothermal systems, *Energy* (2023). [DOI: 10.1016/j.energy.2023.128163](https://doi.org/10.1016/j.energy.2023.128163)

Provided by Pennsylvania State University

Citation: New approach may help extract more heat from geothermal reservoirs (2023, September 20) retrieved 27 April 2024 from <https://techxplore.com/news/2023-09-approach-geothermal-reservoirs.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.