

An effective method for face orientation estimation using a depth–gyro sensor



A depth–gyro sensor collects 3D point cloud data of a person's face along with face orientation information. It is used to train a deep learning classification model, which then accurately estimates the face orientation. Credit: Chinthaka Premachandra from SIT, Japan Image Source

In recent years, artificial intelligence has demonstrated tremendous potential for the development and advancement of a wide variety of technologies. A good example is facial direction estimation, which finds applications in driver assistance systems that prevent distracted driving, methods to prevent cheating in examinations, and software for creating



three-dimensional (3D) virtual avatars.

Traditional facial orientation estimation techniques recognize the characteristic parts of the face, including the nose, eyes, and mouth, and detect their movements. However, such two-dimensional (2D) image-based methods raise <u>privacy concerns</u> and fail when features of the face are hidden due to a mask, or if the face is turned sideways.

The solution may lie in optimizing facial detection using point cloud data (data obtained from a discrete set of data points) and a depth sensor. In fact, some previous studies have employed an estimation model based on the deep learning of 3D point cloud data in five face directions: frontal, diagonal frontal, right, left, and horizontal. However, considering the level of accuracy required for <u>driver assistance systems</u> that crucially verify the driver's status, this five-class (k = 5) classification is insufficient for satisfactorily detecting the face direction.

To address this limitation, scientists from Shibaura Institute of Technology, led by Professor Chinthaka Premachandra of the Graduate School of Engineering and Science, have developed a more precise, horizontal wide-range angle detection approach (with k > 5). They accurately measured the horizontal angle of the face during the acquisition of the training data using gyroscopic sensors.

Their paper was made available online in the IEEE Sensors Journal.

In this study, the scientists gathered point cloud data from various orientations using a depth sensor, which was integrated with a gyro sensor during data collection. This data was employed to train a deep learning-based classification model, which was utilized for face orientation estimation.

The scientists changed the horizontal angle of the face relative to the



camera from +90 degrees to -90 degrees, using step sizes of 30, 22.5, 18, and 15 degrees between them. As a result, the classification of face direction was represented by more than seven classes (k = 7, 9, 11, 13).

"Precise training data for each orientation was obtained from the integration of the depth and gyro sensors, which reduce the number of point cloud samples required for constructing the classification model. Furthermore, applying a weight reduction process to reduce the weight of point cloud data enhanced training efficiency and resulted in fast face orientation estimation," explains Prof. Premachandra.

The proposed classification method, designed for more than seven classes, achieves remarkable performance in face direction detection through deep learning. For example, it has demonstrated classification accuracy rates of over 98%, 95%, and 91% for 7, 9, and 11 classes, respectively, representing a significant improvement over the conventional face orientation estimation techniques.

Overall, this study opens new doors to a wide range of practical applications where accurate face orientation detection is required. As Prof. Premachandra explains, "Our findings offer a potential solution for addressing issues such as distracted driving, which may result from looking away or falling asleep while driving. Using this face orientation estimation method, it may be possible to alert drivers in situations of drowsiness and ultimately help in reducing the incidence of traffic accidents at a global scale."

More information: Chinthaka Premachandra et al, Depth-Gyro Sensor-Based Extended Face Orientation Estimation Using Deep Learning, *IEEE Sensors Journal* (2023). DOI: 10.1109/JSEN.2023.3296531



Provided by Shibaura Institute of Technology

Citation: An effective method for face orientation estimation using a depth–gyro sensor (2023, September 25) retrieved 13 May 2024 from <u>https://techxplore.com/news/2023-09-effective-method-depthgyro-sensor.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.