


Attaining a significant improvement in battery life through the use of a lithium cathode created by electroplating

September 20 2023



Graphical abstract. Credit: *Energy Storage Materials* (2023). DOI: 10.1016/j.ensm.2023.102827

A research team led by Professor Hongkyung Lee at DGIST has developed a new manufacturing method for replacing lithium foil, overcoming the limitations of lithium batteries and potentially replacing

existing commercial lithium cathodes through a new manufacturing process.

Lithium metal, which is widely known as an ideal cathode material for batteries, can be used to create batteries that overcome the energy density limitations of conventional [lithium](#)-ion batteries since it has 10 times more theoretical capacity than graphite, which is currently commercialized.

Nonetheless, lithium metal is commonly used as lithium foil, which results in the formation of an oxide layer during production and storage. Therefore, lithium dendrite easily forms during charging and discharging as the lithium [surface](#) quality is abruptly degraded, which ultimately hinders commercialization.

The research team led by Professor Hongkyung Lee thus developed a new manufacturing method for replacing lithium foil. This particular method involves manufacturing a much smoother and more uniform lithium metal cathode by applying electroplating using a pseudo-high-concentration electrolyte.

The surface of the lithium created with the pseudo-high-concentration electrolyte contains a high level of fluorine-based substances, thus lowering the reactivity with the electrolyte and allowing it to be manufactured thinly and compactly through simple physical compression. The lithium cathode manufactured accordingly is much smoother than commercial lithium foil, has a more uniform chemical composition on the [surface layer](#), and can be more easily manufactured in large sizes compared to conventional manufacturing processes.

The surface layer of the currently available lithium foil contains a large amount of lithium carbonate (Li_2CO_3) and has uneven chemical compositions. Consequently, the lithium grows irregularly, which causes

problems when it comes in contact with the electrolyte. However, the lithium metal developed by Professor Lee's research team forms an "electro-native layer," thus having an affinity with the electrolyte and low resistance.

As a result, fast and uniform electrochemical reactions are induced, successfully suppressing dendrite growth. Furthermore, lithium is discharged smoothly during discharging, which enables the battery interior to be kept smooth. This enhancement will lead to significant improvements in the performance and stability of lithium batteries when designing commercial batteries.

Professor Lee said, "This research has drastically improved the life of lithium batteries by simply improving the initial surface quality of the lithium cathode," and added "Further research will be conducted to accelerate the commercialization of [lithium metal](#) batteries by introducing the surface stabilization technology."

The paper is published in the journal *Energy Storage Materials*.

More information: Jiyeon Seo et al, Electrodeposition-guided pre-passivation of Li-metal anode to enable long stable cycling of practical Li-metal batteries, *Energy Storage Materials* (2023). [DOI: 10.1016/j.ensm.2023.102827](#)

Provided by DGIST

Citation: Attaining a significant improvement in battery life through the use of a lithium cathode created by electroplating (2023, September 20) retrieved 29 April 2024 from <https://techxplore.com/news/2023-09-significant-battery-life-lithium-cathode.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.