


Using tiny combustion engines to power very tiny robots

September 15 2023, by Bob Yirka



Block diagram of the microactuator and microrobot testing apparatus. Two gas cylinders supply the reactant gases. Flow and mixing is regulated by offboard mass flow controllers. Ignition is achieved via high voltage, spark-generating electronics that are controlled via an Arduino. Credit: *Science* (2023). DOI: 10.1126/science.adg5067. <https://www.science.org/doi/10.1126/science.adg5067>

A team of mechanical engineers at Cornell University, working with a colleague from Technion-Israel Institute of Technology, has designed and built a tiny robot that is powered by a combustion engine. In their paper published in the journal *Science*, the group describes how they built their tiny engine and possible uses for it. Ryan Truby, with Northwestern University, has published a Perspective piece in the same journal issue outlining the work done by the team on this new effort.

Over the past several decades, roboticists have designed and built ever-smaller robots with the goal of finding a [design](#) that can be used for a variety of unique purposes. Virtually all of them have been powered by batteries. But as the size of such robots continues to shrink, it becomes increasingly difficult to power them using battery technology. In this new effort, the researchers have turned to an old technology as a solution—an [internal combustion engine](#).

An internal combustion engine exploits the power of a controlled explosion by using it to push a moving part, such as a piston in a car engine. Repeated explosions create a continual force allowing a car to move on a road. In this new effort, the research team found a way to make a tiny [combustion engine](#) using methane vapor and oxygen instead of gasoline, and used it to power a tiny [robot](#).

To build their engine, the researchers started by building a tiny [combustion](#) chamber along with a sparking agent to set off an explosion. When that happens, the top of the chamber is pushed slightly upward, like a piston. Testing showed the piston could exert a force of 9.5 newtons. The team also designed a pump that worked in conjunction with the igniter to allow the piston to be moved up and down approximately 100 times a second.

They then built a second [engine](#) identical to the first and connected both to serve as feet and legs for a tiny frog-shaped robot. The robot, they

found, could be made to jump if both engines were fired at the same time, or to walk, if the engines were fired alternating style.

The research team notes that the engines are small enough that four of them could sit on the face of a penny and that they weigh just 325 milligrams each. They do acknowledge that some of the parts have yet to be miniaturized, such as the fuel system and holding tank and the [power source](#) for the spark generator. Still, they suggest their design could prove useful for making a variety of tiny robots.

More information: Cameron A. Aubin et al, Powerful, soft combustion actuators for insect-scale robots, *Science* (2023). [DOI: 10.1126/science.adg5067](https://doi.org/10.1126/science.adg5067).
www.science.org/doi/10.1126/science.adg5067

Ryan L. Truby, Chemically fueling new microrobot abilities, *Science* (2023). [DOI: 10.1126/science.adk0522](https://doi.org/10.1126/science.adk0522)

© 2023 Science X Network

Citation: Using tiny combustion engines to power very tiny robots (2023, September 15)
retrieved 9 May 2024 from
<https://techxplore.com/news/2023-09-tiny-combustion-power-robots.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
