


# Adaptive optical neural network connects thousands of artificial neurons

October 23 2023, by Christina Hoppenbrock

---



The chip contains almost 8,400 functioning artificial neurons from waveguide-coupled phase-change material. Credit: Jonas Schütte / AG Pernice

Modern computer models—for example for complex, potent AI applications—push traditional digital computer processes to their limits.

New types of computing architecture, which emulate the working principles of biological neural networks, hold the promise of faster, more energy-efficient data processing.

A team of researchers has now developed a so-called event-based architecture, using photonic processors with which data are transported and processed by means of light. In a similar way to the brain, this makes possible the continuous adaptation of the connections within the neural network. These changeable connections are the basis for learning processes.

For the purposes of the study, a team working at Collaborative Research Center 1459 (Intelligent Matter)—headed by physicists Prof. Wolfram Pernice and Prof. Martin Salinga and computer specialist Prof. Benjamin Risse, all from the University of Münster—joined forces with researchers from the Universities of Exeter and Oxford in the UK. [The study has been published in the journal \*Science Advances\*.](#)

What is needed for a neural network in [machine learning](#) are artificial neurons which are activated by external excitatory signals, and which have connections to other neurons. The connections between these [artificial neurons](#) are called synapses—just like the biological original.

For their study, the team of researchers in Münster used a network consisting of almost 8,400 optical neurons made of waveguide-coupled phase-change material, and the team showed that the connection between two each of these neurons can indeed become stronger or weaker ([synaptic plasticity](#)), and that new connections can be formed, or existing ones eliminated (structural plasticity).

In contrast to other similar studies, the synapses were not hardware elements but were coded as a result of the properties of the optical pulses—in other words, as a result of the respective wavelength and of

the intensity of the optical pulse. This made it possible to integrate several thousand neurons on one single chip and connect them optically.

In comparison with traditional electronic processors, light-based processors offer a significantly higher bandwidth, making it possible to carry out complex computing tasks, and with lower energy consumption. This new approach consists of basic research. "Our aim is to develop an optical computing architecture which in the long term will make it possible to compute AI applications in a rapid and energy-efficient way," says Frank Brückerohoff-Plückelmann, one of the lead authors.

The nonvolatile, phase-change material can be switched between an amorphous structure and a crystalline structure with a highly ordered atomic lattice. This feature allows permanent data storage even without an energy supply.

The researchers tested the performance of the [neural network](#) by using an evolutionary algorithm to train it to distinguish between German and English texts. The recognition parameter they used was the number of vowels in the text.

**More information:** Frank Brückerohoff-Plückelmann et al, Event-driven adaptive optical neural network, *Science Advances* (2023). [DOI: 10.1126/sciadv.adf9127](https://doi.org/10.1126/sciadv.adf9127)

Provided by University of Münster

Citation: Adaptive optical neural network connects thousands of artificial neurons (2023, October 23) retrieved 10 May 2024 from <https://techxplore.com/news/2023-10-optical-neural-network-thousands-artificial.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.