

Robotic prosthetic ankles improve 'natural' movement, stability

October 18 2023



Demonstration of the robotic prosthetic ankle. Electromyographic sensors (on calf at left) capture electrical activity generated by muscles when they are flexed. This signal tells the prosthesis which artificial muscle to flex and how much to flex. For individuals with amputation, these sensors are placed in the prosthetic socket. The graph (right) shows the electromyographic signal, which is used to control the prosthesis. Credit: Aaron Fleming, NC State University

Robotic prosthetic ankles that are controlled by nerve impulses allow



amputees to move more "naturally," improving their stability, according to a new study from North Carolina State University and the University of North Carolina at Chapel Hill.

"This work focused on '<u>postural control</u>,' which is surprisingly complicated," says Helen Huang, corresponding author of the study and the Jackson Family Distinguished Professor in the Joint Department of Biomedical Engineering at NC State and UNC.

"Basically, when we are standing still, our bodies are constantly making adjustments in order to keep us stable. For example, if someone bumps into us when we are standing in line, our legs make a wide range of movements that we are not even necessarily aware of in order to keep us upright."

"We work with people who have lower limb amputations, and they tell us that achieving this sort of stability with <u>prosthetic devices</u> is a significant challenge. And this study demonstrates that robotic prosthetic ankles which are controlled using electromyographic (EMG) signals are exceptionally good at allowing users to achieve this natural stability." EMG signals are the <u>electrical signals</u> recorded from an individual's muscles.

A paper on the study, "Neural Prosthesis Control Restores Near-Normative Neuromechanics in Standing Postural Control," has been published in the journal *Science Robotics*. The paper was co-authored by Wentao Liu, a Ph.D. student in the Joint Department of Biomedical Engineering.

The new study builds on <u>previous work</u>, which demonstrated that neural control of a powered prosthetic ankle can restore a range of abilities, including standing on challenging surfaces and squatting.



For this study, the researchers worked with five people who had amputations below the knee on one leg. Study participants were fitted with a prototype robotic prosthetic ankle that responds to EMG signals that are picked up by sensors on the leg.

"Basically, the sensors are placed over the muscles at the site of the amputation," says Aaron Fleming, co-author of the study and recent Ph.D. graduate from NC State. "When a study participant thinks about moving the amputated limb, this sends electrical signals through the residual muscle in the lower limb. The sensors pick these signals up through the skin and translate those signals into commands for the prosthetic device."

The researchers conducted general training for study participants using the prototype device, so that they were somewhat familiar with the technology.

Study participants were then tasked with responding to an "expected perturbation," meaning they had to respond to something that might throw off their balance. In <u>everyday life</u>, this could be something like catching a ball or picking up your groceries. However, in order to replicate the conditions precisely over the course of the study, the researchers developed a mechanical system designed to challenge the stability of participants.

Study participants were asked to respond to the expected perturbation under two conditions: using the prosthetic devices they normally used; and using the robotic prosthetic prototype. a) Representative Forward Sway Muscle Modules and Activation Coefficients



b) Representative Backward Sway Muscle Module and Activation Coefficients

Data representation of postural control strategies using the EMG controled prosthetic ankle. Credit: Aaron Flemming

"We found that study participants were significantly more stable when using the robotic prototype," Fleming says. "They were less likely to stumble or fall."

"Specifically, the robotic prototype allowed study participants to change their postural control strategy," says Huang. "For people who have their intact lower limb, postural stability starts at the ankle. For people who have lost their <u>lower limb</u>, they normally have to compensate for lacking control of the ankle. We found that using the robotic ankle that responds to EMG signals allows users to return to their instinctive response for maintaining stability."



In a separate portion of the study, researchers asked study participants to sway back and forth while using their normal prosthetic and while using the prototype robotic prosthetic. Study participants were equipped with sensors designed to measure muscle activity across the entire lower body.

"We found that muscle activity patterns in the lower body were very different when people used the two different prostheses," Huang says.

"Basically, muscle activation patterns when using the prototype prosthetic were very similar to the patterns we see in people who have full use of two intact lower limbs. That tells us that the prototype we developed mimics the body's behavior closely enough to allow people's 'normal' neural patterns to return. This is important, because it suggests that the technology will be somewhat intuitive for users.

"We think this is a clinically significant finding, because postural stability is an important issue for people who use <u>prosthetic</u> devices. We're now conducting a larger trial with more people to both demonstrate the effects of the technology and identify which individuals may benefit most."

More information: Aaron Fleming et al, Neural Prosthesis Control Restores Near-Normative Neuromechanics in Standing Postural Control, *Science Robotics* (2023). DOI: 10.1126/scirobotics.adf5758. www.science.org/doi/10.1126/scirobotics.adf5758

Provided by North Carolina State University

Citation: Robotic prosthetic ankles improve 'natural' movement, stability (2023, October 18) retrieved 8 May 2024 from



https://techxplore.com/news/2023-10-robotic-prosthetic-ankles-natural-movement.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.