

# A successful energy transition depends on managing when people use power. How to make demand more flexible?

October 12 2023, by Chris Briggs



There are cheaper and cleaner ways to keep the power on than paying coal power stations like Eraring to stay open. Credit: <u>Nick Pitsas, CSIRO/Wikimedia</u> <u>Commons, CC BY</u>



<u>Energy security concerns</u> are mounting as renewable projects and transmission lines are delayed.

In New South Wales, for instance, the government has flagged it <u>may</u> <u>defer</u> the closure of Eraring coal power station beyond 2025.

NSW has <u>other new policies</u> to "get the <u>energy transition</u> back on track." These include expanding "customer energy resources," such as <u>solar</u> <u>panels</u> and batteries, and increasing "demand flexibility" (broadly, using smart technology to shift the times when businesses and homes use power).

With more variable supply from solar and <u>wind energy</u>, demand flexibility is a cheaper and cleaner way to keep the electricity grid stable.

Modeling for the Australian Renewable Energy Agency (ARENA) shows this approach could save consumers up to A\$18 billion to 2040. Shifting demand can avoid:

- higher-priced power use at the end of the day
- building new poles and wires to increase network capacity to meet peak demand
- paying coal plants to stay open.

### What does flexible demand involve?

Examples of flexible demand include:

- shifting water heating from night-time (mostly coal-powered) to daytime (using solar)
- reducing temperatures in commercial coolrooms using <u>solar</u> <u>power</u> in the middle of the day, then <u>switching chillers off</u> in the late afternoon until they return to standard refrigeration



temperatures

• <u>remotely controlling air conditioners</u> to turn them down when the grid is under stress. Households get paid and don't notice if the aircon is briefly turned down, but across many homes it can make a big difference.

The Australian Energy Market Operator (AEMO) <u>estimates</u> NSW needs an extra 191 megawatts (MW) of capacity to maintain reliability when Eraring closes.

Another way to cover that capacity shortfall is more flexible demand. Queensland already has almost <u>150MW of remote-controlled air</u> <u>conditioning</u>. Other types of demand management that Queensland grid operators can call on total about 900MW.

In Western Australia, a newly signed <u>contract will provide 120MW</u> of demand flexibility.

#### So what are the obstacles to more flexible demand?

ARENA commissioned the Institute for Sustainable Futures to <u>review</u> <u>the pilot demand flexibility projects</u> it has funded. Many didn't deliver as much as hoped.

Sometimes, this was because businesses were too busy with day-to-day operations or payments for households were too low to catch their interest. But often it's a matter of putting policies, technical standards and regulations in place to make demand management seamless and efficient.



ARENA has spent about \$180 million on 55 projects with at least some focus on flexible demand. They include <u>air conditioning</u>, pool pumps and hot water systems in homes, commercial building air conditioning and electric vehicle charging.

## 4 ways to increase demand flexibility

What do these projects tell us about how to increase demand flexibility?

#### 1. Better technical standards

The technical standards required of manufacturers often don't ensure devices can be used to shape demand. Many <u>air-conditioners</u> couldn't be controlled in ARENA pilots.

There is also no technical standard for "inter-operability" of devices within homes. Batteries, hot water systems and other devices with different companies' technologies don't always work well together.

Vehicle-to-grid charging for electric vehicles will be the largest opportunity for demand flexibility, but there is no common technical standard. It's vital to have one before the mass uptake of electric vehicles.

Outside Victoria, smart meters that provide real-time information on home energy use are rare. The Australian Energy Market Commission has <u>recommended</u> governments accelerate roll-out of smart meters to 100% by 2030.

### 2. Simpler measurement systems

The measurement systems to calculate payments for demand flexibility



are a barrier to expansion. It's tricky as you need to measure how much electricity was used relative to what would otherwise have occurred.

ARENA pilots that tried to precisely measure residential demand flexibility found it was financially unviable at the smaller scale.

The system used for AEMO's <u>Wholesale Demand Response Mechanism</u> (WDRM) effectively limits participation to businesses with predictable, flat consumption profiles. This excludes as much as <u>80–90% of sites</u>. <u>International measurement models</u> could be trialed here to open up participation.

## 3. More certainty about payments

Earnings from providing demand flexibility depend on weather, market prices and so on. This uncertainty makes it hard to get businesses to sign up.

Overseas, some energy markets guarantee payment for making demand flexibility available. These have the <u>highest participation</u>.

The federal government is <u>consulting on a capacity investment scheme</u>. Because it will have the same measurement system as the current mechanism, participation is likely to be limited.

## 4. Fresh policy approaches

Businesses that sign up under the Wholesale Demand Response Mechanism make bids in the National Electricity Market to be <u>paid for</u> <u>reducing their power use</u> when demand and prices are high. This should reduce prices for all consumers and improve energy security when the grid is under stress. However, it has attracted only one



participant—mainly due to the complex measurement system—and isn't open to households.

Another <u>incentive scheme</u> for electricity networks to invest in demand management is chronically under-used.

There are simpler alternatives that have worked before. The national <u>Renewable Energy Target</u> and state energy efficiency certificate schemes fund rooftop solar or energy retrofits based on average output or energy savings from past experience. These simple calculations offer a relatively stable incentive, which could work for demand flexibility.

NSW's <u>Peak Demand Reduction Scheme</u>, launched last year, could provide a model for using certificate schemes to boost demand flexibility.

### Get serious about demand flexibility

The focus of NSW's development of a <u>customer energy resources policy</u> appears to be on "virtual power plants." These co-ordinate household solar and battery systems to store solar power and export to the grid when it's most needed.

Batteries are part of the solution, but cheaper options exist. An electric water heater with a 300-liter tank can <u>store as much energy</u> as a second-generation Tesla battery at much less cost.

Modeling for ARENA finds hot water systems could store as much energy as more than 2 million household batteries. Retrofitting these systems will spread savings more widely to include low-income households as well as those that can afford a battery.

It's time we got serious about developing a holistic demand <u>flexibility</u>



strategy. It will be cheaper and cleaner than paying coal plants to stay open.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: A successful energy transition depends on managing when people use power. How to make demand more flexible? (2023, October 12) retrieved 8 May 2024 from https://techxplore.com/news/2023-10-successful-energy-transition-people-power.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.