

## New experimental technique to analyze the protection of 3D-printed metal structures

November 15 2023



Experimental setup for axial penetration testing of thin-walled hollow cylinders. Identification of gun barrel, high-speed cameras, lampheads, specimen support, XZ table, and height regulator jack. Credit: *Journal of the Mechanics and Physics of Solids* (2023). DOI: 10.1016/j.jmps.2023.105248



Scientists from the Universidad Carlos III de Madrid (UC3M) and the IMDEA Materiales Institute have developed a new experimental technique in fragmentation tests to evaluate the energy absorption capacity in the event of impact of metallic structures manufactured using 3D printing.

This technique, which is more flexible, simpler and faster than others currently used, makes it possible to test the mechanical performance of these materials as protective structures. The work is <u>published</u> in the *Journal of the Mechanics and Physics of Solids*.

The main applications of this research are related to the aeronautics, <u>aerospace engineering</u>, security and civil engineering sectors, areas where it is essential to develop new materials to build lightweight, portable protective structures that can be repaired in service and that also have the ability to absorb energy in the event of an impact.

For example, in the event of a collision of a bird with an aircraft, in accidental collisions between <u>motor vehicles</u> or in explosions that may occur in attacks on <u>government buildings</u> and critical infrastructures, such as <u>nuclear power plants</u>, the researchers say.

"The idea is to be able to manufacture protective structures with 3D printing to reduce their cost, minimize waste, personalize their design and offshore their manufacturing, given that it could be carried out insitu, which would be a great advantage especially for aerospace and defense applications," explains Juan Carlos Nieto Fuentes, Marie Curie CONEX-Plus researcher (GA 801538) from UC3M's Department of Continuum Mechanics and Structural Analysis.

"The article presents a new experimental technique launched at the UC3M Impact Laboratory, where we carry out fragmentation tests at impact speeds of up to 400 meters per second," explains another of the



authors, José Antonio Rodríguez Martínez, a Senior Lecturer in the same UC3M department who has developed this research within the framework of PURPOSE, a European Union ERC Starting Grant (GA 758056) project.

The researchers have filmed these tests with two high-speed cameras and have also carried out X-ray tomography of the printed material structures, before and after being tested, with the collaboration of colleagues from the IMDEA Materiales Institute, who have carried out the microstructural characterization of the samples.

"Specifically, we have determined the distribution in shape and size of the pores resulting from the <u>printing process</u> and we have investigated their effect on the formation and propagation of cracks, and thus on the energy absorption capacity of the structure," says Federico Sket, senior scientist at IMDEA Materials, who has participated in this study from this research institute together with his colleague Jonathan Espinoza, research assistant at the institute.

The fragmentation experiments were carried out at the UC3M Impact Laboratory using a helium-driven gas gun. Specifically, the researchers launched a circular, conical-nosed projectile weighing about 150 grams that hit a thin-walled tube at speeds ranging from 200 to 400 meters per second (between 720 and 1,440 km/h). In this case, the diameter of the projectile is larger than the diameter of the tube, which expands radially as the projectile advances, until multiple fractures form, resulting in fragmentation of the sample.

"The technique is simpler, faster to use, flexible and has a lower operating cost than systems that use explosives or electromagnetic systems. Our device also allows us to carry out more experiments in less time and thus obtain a number of tests that provide statistically significant results," explain Sergio Puerta and David Pedroche,



laboratory technicians from UC3M's Department of Continuum Mechanics and Structural Analysis, who were involved in carrying out the experiments.

The researchers say that this is a pioneering methodology and hope to lay the foundations for a protocol that will make it possible to systematically determine whether a printed structure is capable of absorbing energy upon impact, based on the characterization of its porous microstructure and its correlation with fragmentation mechanisms.

"This technique will ultimately tell us whether metal 3D printing is a viable technique for building protective structures," says José Antonio Rodríguez Martínez. "In the U.S. there are already specific programs promoted by the Department of Defense and the Department of Energy to fund this line of research, so we hope that the European Union and the Government of Spain will also develop a long-term vision that will allow us to bring the fundamental research we are carrying out into engineering practice," he concludes.

**More information:** J.C. Nieto-Fuentes et al, High-velocity impact fragmentation of additively-manufactured metallic tubes, *Journal of the Mechanics and Physics of Solids* (2023). DOI: 10.1016/j.jmps.2023.105248

## Provided by Carlos III University of Madrid

Citation: New experimental technique to analyze the protection of 3D-printed metal structures (2023, November 15) retrieved 9 May 2024 from https://techxplore.com/news/2023-11-experimental-technique-3d-printed-metal.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.