

## Monolithically integrated photo battery achieves competitive voltage

November 3 2023



Schematic of the components of the organic photo-battery. Credit: *Energy & Environmental Science* (2023). DOI: 10.1039/D3EE01822A

Networked intelligent devices and sensors can improve the energy efficiency of consumer products and buildings by monitoring their



consumption in real time. Miniature devices like these being developed under the concept of the Internet of Things require energy sources that are as compact as possible in order to function autonomously.

Monolithically integrated batteries that simultaneously generate, convert, and store energy in a single system could be used for this purpose.

A team of scientists at the University of Freiburg's Cluster of Excellence Living, Adaptive, and Energy-Autonomous Materials Systems (livMatS) has developed a monolithically integrated photo battery consisting of an organic polymer-based battery and a multi-junction organic solar cell.

The battery, presented by Rodrigo Delgado Andrés and Dr. Uli Würfel, University Freiburg, and Robin Wessling and Prof. Dr. Birgit Esser, University of Ulm, is the first monolithically integrated photo battery made of organic materials to achieve a discharge potential of 3.6 volts. It is thus among the first systems of this kind capable of powering miniature devices. The team published their results in the journal <u>Energy</u> <u>& Environmental Science</u>.

## **Combination of a multi-junction solar cell and a dualion battery**

The researchers developed a scalable method for the photo battery which allows them to manufacture <u>organic solar cells</u> out of five active layers.

"The system achieves relatively high voltages of 4.2 volts with this solar cell," explains Wessling. The team combined this multi-junction solar cell with a so-called dual-ion battery, which is capable of being charged at high currents, unlike the cathodes of conventional lithium batteries.

With careful control of illumination intensity and discharge rates, a



photo <u>battery</u> constructed in this way is capable of rapid charging in less than 15 minutes at discharge capacities of up to 22 milliampere hours per gram (mAh g<sup>-1</sup>). In combination with the averaged discharge potential of 3.6 volts, the devices can provide an <u>energy density</u> of 69 milliwatt hours per gram (mWh g<sup>-1</sup>) and a <u>power density</u> of 95 milliwatts per gram (mW g<sup>-1</sup>).

"Our system thus lays the foundation for more in-depth research and further developments in the area of organic photo batteries," says Wessling.

**More information:** Rodrigo Delgado Andrés et al, Organic photobattery with high operating voltage using a multi-junction organic solar cell and an organic redox-polymer-based battery, *Energy & Environmental Science* (2023). DOI: 10.1039/D3EE01822A

Provided by University of Freiburg

Citation: Monolithically integrated photo battery achieves competitive voltage (2023, November 3) retrieved 11 May 2024 from <u>https://techxplore.com/news/2023-11-monolithically-photo-battery-competitive-voltage.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.