

Toward sustainable energy applications with breakthrough in proton conductors

November 21 2023



Donor doping into a mother material with disordered intrinsic oxygen vacancies, instead of the widely used strategy of acceptor doping into a material without oxygen vacancies, can greatly enhance the conductivity and stability of perovskite-type proton conductors at intermediate and low temperatures of 250-400 °C, as demonstrated by Tokyo Tech scientists. Credit: Professor Masatomo Yashima Proton migration in Ba₈Sc₆Mo₂O₂₃(H₂O) from AIMD simulations. *Nature Communications* (2023). DOI: 10.1038/s41467-023-43122-4

Donor doping into a mother material with disordered intrinsic oxygen vacancies, instead of the widely used strategy of acceptor doping into a material without oxygen vacancies, can greatly enhance the conductivity



and stability of perovskite-type proton conductors at intermediate and low temperatures of 250–400°C, as demonstrated by Tokyo Tech scientists (e.g. 10 mS/cm at 320°C). This innovative approach provides a new design direction for proton conductors for fuel cells and electrolysis cells.

Many countries in the world are pushing for the development of sustainable energy technologies. In this regard, protonic ceramic (or proton conducting) fuel/electrolysis cells (PCFCs/PCECs) are a strong contender.

These devices can directly convert <u>chemical energy</u> into electricity and vice versa with zero emissions at low or intermediate temperatures, making them an attractive option for many emerging applications such as next-generation distributed power sources. In addition, unlike other types of fuel cells and electrolyzers, the PCFCs/PCECs do not require precious metal catalysts or expensive, heat-resistant alloys.

However, there have been no reports of proton conductors with both high conductivity as well as high stability at intermediate and <u>low</u> temperatures of 250–400°C. This problem is known as the "Norby gap," and scientists have been searching for materials that can overcome it for many years.

Against this backdrop, Professor Masatomo Yashima and Mr. Kei Saito from Tokyo Institute of Technology (Tokyo Tech), Japan, have proposed a new strategy that could revolutionize the design and development of proton conductors. Their findings are <u>published in *Nature*</u> <u>*Communications*</u>.

The researchers tackled one of the main drawbacks of state-of-the-art perovskite-type proton conductors. These materials have the formula $A^{2+}B^{4+}O_3$, where A and B are larger and smaller cations, respectively.



A general strategy to enhance the proton conductivity in such perovskites is to introduce an acceptor dopant; that is, a cation M^{3+} with a valence lower than that of B^{4+} . These "impurities" create oxygen vacancies in the resulting crystalline lattice, which, in turn, increases proton conductivity. However, this approach also creates a problem known as "proton trapping," whereby protons are trapped by the acceptor dopant M^{3+} , which has an effective negative charge relative to the host cation B^{4+} , due to the electrostatic attraction.

To avoid this issue, the researchers turned to $BaScO_{2.5}$. This perovskite has intrinsic (or inherent) <u>oxygen vacancies</u> in its <u>crystal structure</u>, which enables donor doping. The team doped donor dopant Mo⁶⁺ into $BaScO_{2.5}$ to produce $BaSc_{0.8}Mo_{0.2}O_{2.8}$ (or "BSM20").

"Contrary to the conventional acceptor doping approach, donor doping can reduce proton trapping effect through the <u>electrostatic repulsion</u> between protons and the donor Mo^{6+} cations, which have a higher valence than the host cation Sc^{3+} ," explains Prof. Yashima. "This, in turn, leads to high proton conduction."

Following a series of experiments and theoretical analyses using advanced simulation techniques, the researchers demonstrated that BSM20 indeed offered exceptionally high proton conductivity at intermediate and low temperatures in the Norby gap. Moreover, donor doping helped stabilize a cubic perovskite-type structure, enabling efficient three-dimensional proton conduction throughout the material. Notably, BSM20 also exhibited remarkably high stability under oxidizing, reducing, and carbon dioxide atmospheres, a property essential for many practical applications.

Overall, the findings of this study could pave the way for new <u>proton</u> conductors for PCFCs/PCECs with unprecedented performance. "The proposed strategies and the discovery of BSM20 could have a significant



impact on energy and environmental science and technology," concludes Prof. Yashima.

More information: Kei Saito et al, High proton conductivity within the 'Norby gap' by stabilizing a perovskite with disordered intrinsic oxygen vacancies, *Nature Communications* (2023). DOI: 10.1038/s41467-023-43122-4

Provided by Tokyo Institute of Technology

Citation: Toward sustainable energy applications with breakthrough in proton conductors (2023, November 21) retrieved 12 May 2024 from <u>https://techxplore.com/news/2023-11-sustainable-energy-applications-breakthrough-proton.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.