


Electric light transmits data 100 times faster than Wi-Fi

December 29 2023



Organic visible light communication system based on mixed white light illumination and color-selective OPDs fabricated with OLEDs. Credit: POSTECH

Li-fi, a communication technology harnessing visible light for data transmission, has a potential to surpass Wi-Fi's speed by more than 100 times and boasts a high bandwidth, facilitating the simultaneous transmission of copious information. Notably, Li-fi ensures robust security by exclusively transmitting data to areas illuminated by light.

Most important, it capitalizes on existing indoor lighting infrastructure, such as LEDs, eliminating the need for separate installations. However, implementing [visible light](#) communication (VLC) in practical lighting systems poses an issue of diminished stability and accuracy in [data transmission](#).

Recently, a collaborative team led by Professor Dae Sung Chung, from the Department of Chemical Engineering at Pohang University of Science and Technology (POSTECH), with researcher Dowan Kim, Professor Dong-Woo Jee and Hyung-Jun Park from the Department of Intelligence Semiconductor Engineering at Ajou University, and Professor Jeong-Hwan Lee from the Department of Materials Science and Engineering at Inha University, succeeded in utilizing indoor lighting for [wireless communication](#) by reducing [light](#) interference with a novel light source. Their findings were [published](#) in *Advanced Materials*.

When light of the same wavelength intersects, interference occurs, resulting in the merging or cancellation of amplitudes. This phenomenon was observed when using LEDs as a single-color light source in VLC technology. To overcome this hurdle, the team developed a novel light source to replace the conventional one. By combining red, green, and blue organic light-emitting diodes (OLEDs), they crafted a light source that mimics standard white illumination but with minimal interference zones.

Furthermore, the team introduced a cavity structure to enhance the OLED's color representation for each wavelength and incorporated a Fabry-Pérot structure into the light-absorbing organic photodiodes (OPDs) to selectively receive specific wavelengths of light.

The team's composite white light exhibited a significantly lower bit error rate (BER) than that of conventional light sources. BER, representing the error ratio to the total transmitted bits, serves as a key quantifier of

digital signal quality. This remarkable achievement signifies effective suppression of interference among light sources, ensuring accurate information transmission.

Professor Dae Sung Chung, the leader of the consortium, explained, "In contrast to conventional light sources, our [light source](#), which blends three wavelengths, circumvents interference thereby enhancing stability and accuracy in data transmission. We foresee this technology as a potentially beneficial tool for diverse industries, serving as a next-generation wireless communication solution that utilizes conventional lighting systems."

In a multichannel VLC system, mixed [white light](#) is created by using red, green, and blue OLEDs with non-overlapping wavelengths to minimize interference among channels. The system utilizes OPDs that selectively absorb the light.

More information: Dowan Kim et al, Visible-Light Communication with Lighting: RGB Wavelength Division Multiplexing OLEDs/OPDs Platform, *Advanced Materials* (2023). [DOI: 10.1002/adma.202309416](https://doi.org/10.1002/adma.202309416)

Provided by Pohang University of Science and Technology

Citation: Electric light transmits data 100 times faster than Wi-Fi (2023, December 29) retrieved 27 April 2024 from <https://techxplore.com/news/2023-12-electric-transmits-faster-wi-fi.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.