


# Research team develops world's most efficient quantum dot solar cells

January 30 2024, by JooHyeon Heo



Photovoltaic performance and surface characteristics of PQD layers by different ligand exchange methods. Credit: *Nature Energy* (2024). DOI: 10.1038/s41560-024-01450-9

A research breakthrough in solar energy has propelled the development of the world's most efficient quantum dot (QD) solar cell, marking a significant leap toward the commercialization of next-generation solar cells. This cutting-edge QD solution and device have demonstrated exceptional performance, retaining their efficiency even after long-term storage.

Led by Professor Sung-Yeon Jang from the School of Energy and Chemical Engineering at UNIST, a team of researchers has unveiled a novel [ligand](#) exchange technique. This innovative approach enables the synthesis of organic cation-based perovskite quantum dots (PQDs), ensuring exceptional stability while suppressing internal defects in the photoactive layer of solar cells.

The findings of this study, co-authored by Dr. Javid Aqoma Khoiruddin and Sang-Hak Lee, have been [published](#) online in *Nature Energy*.

"Our developed technology has achieved an impressive 18.1% efficiency in QD solar cells," stated Professor Jang. "This remarkable achievement represents the highest efficiency among quantum dot solar cells recognized by the prestigious National Renewable Energy Laboratory (NREL) in the United States."

The increasing interest in related fields is evident, as last year, three scientists who discovered and developed QDs, as advanced nanotechnology products, were awarded the Nobel Prize in Chemistry.

QDs are semiconducting nanocrystals with typical dimensions ranging from several to tens of nanometers, capable of controlling photoelectric properties based on their particle size. PQDs, in particular, have garnered significant attention from researchers due to their outstanding photoelectric properties.

Furthermore, their [manufacturing process](#) involves simple spraying or application to a solvent, eliminating the need for the growth process on substrates. This streamlined approach allows for high-quality production in various manufacturing environments.

However, the practical use of QDs as solar cells necessitates a technology that reduces the distance between QDs through ligand



Consequently, the efficiency of organic PQDs, previously limited to 13% using existing ligand substitution technology, has been significantly improved to 18.1%. Moreover, these solar cells demonstrate exceptional stability, maintaining their performance even after long-term storage for over two years. The newly-developed organic PQD solar cells exhibit both high efficiency and stability simultaneously.

"Previous research on QD [solar cells](#) predominantly employed inorganic PQDs," said Sang-Hak Lee, the first author of the study. "Through this study, we have demonstrated the potential by addressing the challenges associated with organic PQDs, which have proven difficult to utilize."

"This study presents a new direction for the ligand exchange method in organic PQDs, serving as a catalyst to revolutionize the field of QD solar cell material research in the future," said Professor Jang.

**More information:** Havid Aqoma et al, Alkyl ammonium iodide-based ligand exchange strategy for high-efficiency organic-cation perovskite quantum dot solar cells, *Nature Energy* (2024). [DOI: 10.1038/s41560-024-01450-9](#)

Provided by Ulsan National Institute of Science and Technology

Citation: Research team develops world's most efficient quantum dot solar cells (2024, January 30) retrieved 28 April 2024 from <https://techxplore.com/news/2024-01-team-world-efficient-quantum-dot.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.