


Measurement technique sheds new light on semiconductors for solar fuels

January 10 2024



A semitransparent gold Kelvin probe measures the photovoltage of an illuminated semiconductor film in contact with an electrode and a water solution. The photovoltage can be positive or negative, depending on the direction of charge transport. Credit: Frank Osterloh, University of California, Davis

Scientists are advancing the use of semiconductors to convert sunlight into renewable energy. In solar cells, semiconductors convert sunlight into electricity. When brought into direct contact with water, semiconductors can instead use sunlight to convert water into hydrogen, a carbon-free fuel. The energy output from the semiconductor is given

by its photovoltage.

Now, researchers from the University of California, Davis and Martin Luther University in Germany have developed a new technique to measure this photovoltage quantitatively. Measuring the photovoltage is essential to finding the best conditions to make fuel from sunlight and water.

The findings are [published](#) in the journals *Energy & Environmental Science*.

Researchers can easily measure the electric [energy output](#) of [solar cells](#) using wires that connect the cell and a measuring device. However, this energy output is difficult to measure in solar fuel electrodes that are in contact with water. This is because pure water is not electrically conductive, preventing researchers from observing the photovoltage.

Here, the team shows that the photovoltage of such solar fuel electrodes can be measured in a contactless way. They did so by using a so-called gold Kelvin probe that hovers over the illuminated device and picks up the information through space.

In this study, scientists conducted contactless photovoltage measurements on bismuth vanadate, a semiconductor for water oxidation, and on copper gallium selenide, a semiconductor for hydrogen generation from water. They covered the semiconductors with water solutions and a glass microscopy slide and placed the slide underneath the Kelvin probe.

The researchers found that the photovoltage depends not only on the semiconductor, but also on the color of the light (the [photon energy](#)), the [light intensity](#), and the chemical properties of the water solution. This information allows scientists to identify the best conditions for the direct

conversion of solar energy into hydrogen and other fuels.

More information: Sahar Daemi et al, Contactless measurement of the photovoltage in BiVO₄ photoelectrodes, *Energy & Environmental Science* (2023). [DOI: 10.1039/D3EE02087H](https://doi.org/10.1039/D3EE02087H)

Provided by US Department of Energy

Citation: Measurement technique sheds new light on semiconductors for solar fuels (2024, January 10) retrieved 27 April 2024 from <https://techxplore.com/news/2024-01-technique-semiconductors-solar-fuels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.