


2D single-crystalline LiCoO_2 nanosheets developed for high-performance battery-supercapacitor hybrid devices

February 1 2024, by Liu Jia



Graphical abstract. Credit: *ACS Energy Letters* (2024). DOI: 10.1021/acseenergylett.3c02196

A team led by Prof. Wu Zhongshuai has developed novel 2D atomically thin (001)-oriented single-crystalline LiCoO_2 nanosheets with longer Li^+ intercalation distance and (001) planes dominated surface for high-

performance battery-supercapacitor hybrid devices. This study was published in [*ACS Energy Letters*](#).

Shorter Li^+ intercalation distance or lower intercalation energy barrier enables fast diffusion in Li^+ intercalation process. However, it has been found that nanosize effect in nanocrystalline LiCoO_2 affects surface-redox and Li^+ intercalation processes simultaneously.

As the crystallite size decreases, more Li^+ intercalation processes are replaced by surface-redox processes, which brings about decreased platform capacity, low initial coulombic efficiency, and poor cycle performance. Therefore, the nanosize effect restricts the application of nanostructured LiCoO_2 in "double high" battery-supercapacitor hybrid devices.

To solve this problem, Prof. Wu's team attempted to regulate the nanosize effect by precisely controlling the Li^+ intercalation process and surface-redox process.

The team synthesized micro-sized atomically thin single-crystalline LCO nanosheets (SC-LCO) and nanocrystalline LCO nanosheets (NC-LCO).

Compared with NC-LCO, SC-LCO presented longer Li^+ intercalation distance and decreased side reactions. Both coulombic efficiency and discharge capacity of SC-LCO at 1C (194 mAh g^{-1} , 92%) were higher than those of NC-LCO (173 mAh g^{-1} , 86%).

The specific capacity of SC-LCO maintained 151 mAh g^{-1} (83%) after cycling for 500 cycles, which preceded NC-LCO (84 mAh g^{-1} , 63%).

Moreover, the team fabricated a battery-supercapacitor hybrid device with SC-LCO, which achieved high-energy and high-power, demonstrating the practical applicability of this nanosheets.

More information: Feifei Xing et al, Regulating the Nanosize Effect of LiCoO₂ for High-Performance Battery-Supercapacitor Hybrid Devices, *ACS Energy Letters* (2024). [DOI: 10.1021/acseenergylett.3c02196](https://doi.org/10.1021/acseenergylett.3c02196)

Provided by Chinese Academy of Sciences

Citation: 2D single-crystalline LiCoO₂ nanosheets developed for high-performance battery-supercapacitor hybrid devices (2024, February 1) retrieved 27 April 2024 from <https://techxplore.com/news/2024-02-2d-crystalline-licoo-nanosheets-high.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.