

## Asymmetric fire-retardant electrolytes could ensure safety and stability in lithium metal batteries

February 20 2024



Scientists from Institute of Chemistry Chinese Academy of Sciences developed Solid-State Lithium Metal Batteries with Asymmetric Fire-Retardant Electrolytes. Credit: Sen Xin, Institute of Chemistry Chinese Academy of Sciences

New research published in *Energy Material Advances* holds significant implications for the future of high-energy-density batteries.



"Lithium-ion batteries have shown significant success over the past 30 years, but their <u>energy density</u> is approaching its limit, prompting researchers to explore the practical applications of next-generation highenergy-density batteries," said paper author Sen Xin, a professor at CAS Key Laboratory of Molecular Nanostructure and Nanotechnology, CAS Research/Education Center for Excellence in Molecular Sciences, Institute of Chemistry Chinese Academy of Sciences.

"The development of lithium metal batteries with high safety and cycling stability is imperative."

Xin highlighted the advantages of LMBs, particularly their high celllevel specific energy density, which is achieved through the high specific capacity and low negative potential of lithium metal anodes. When coupled with high-voltage cathodes like Ni-rich layered oxides, LMBs can exceed a specific energy density of 450 Wh kg<sup>-1</sup> at the cell level.

However, safety concerns and poor cycling stability have hindered their practical application, mainly due to flammable substances and inferior chemical/electrochemical compatibility of homogeneous organic liquid electrolytes.

The transformation of liquid electrolytes into solid states has the potential to enhance battery safety and stability at the electrode/electrolyte interface. However, the practical implementation of LMBs imposes stringent requirements on electrolytes, particularly considering the distinct demands on the cathode and anode sides.

According to Xin, the cathode requires the electrolyte to withstand high oxidation voltages, while the anode requires it to withstand the reducibility of metallic lithium. Additionally, the electrolyte must be flexible to ensure close contact with the three-dimensional porous cathode electrode and possess high strength to prevent the proliferation



of lithium metal dendrites.

"Homogeneous electrolytes often struggle to meet the conflicting requirements of the cathode and anode sides," Xin noted.

Instead of homogeneous electrolytes, Xin and his team proposed a novel fire-retardant quasi-solid polymer electrolyte featuring an asymmetric structure designed to meet the stringent requirements of high-voltage LMBs.

"Specifically, a flexible PVDF-HFP-based polymer electrolyte, incorporating flame-retardant organophosphates, was developed on the cathode side. This electrolyte not only achieved firm contact with the three-dimensional porous electrode but also exhibited flame-retardant properties, effectively capturing potential oxygen radicals," explained Lin. "This design demonstrated excellent compatibility and enhanced thermal stability when paired with high-voltage Ni-rich layered materials."

"Simultaneously, a thin yet robust polyether electrolyte was in-situ constructed on lithium metal anodes, extending the fire-retardant <u>electrolyte</u>'s compatibility to lithium metal while mitigating the growth of lithium dendrites," Xin added.

As a result, the asymmetric fire-retardant electrolytes employed in highvoltage LMBs showcased significantly enhanced safety performance and cycling stability, marking a significant advancement in the field of energy storage technology.

"Lithium-ion batteries have enjoyed decades of commercial use, yet despite extensive research, the prospects for significant increases in their energy density appear limited," Xin pointed out. "In our quest for progress, we are now directing our attention to solid-state lithium metal



batteries. It's important to emphasize that this area of research is still in its nascent stages, and it will require substantial and ongoing investigations to translate these advancements into practical applications."

**More information:** Shuang-Jie Tan et al, Asymmetric Fire-Retardant Quasi-Solid Electrolytes for Safe and Stable High-Voltage Lithium Metal Battery, *Energy Material Advances* (2024). <u>DOI:</u> <u>10.34133/energymatadv.0076</u>

## Provided by Beijing Institute of Technology Press Co., Ltd

Citation: Asymmetric fire-retardant electrolytes could ensure safety and stability in lithium metal batteries (2024, February 20) retrieved 11 May 2024 from <u>https://techxplore.com/news/2024-02-asymmetric-retardant-electrolytes-safety-stability.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.