


# Inexpensive, carbon-neutral biofuels are finally possible

February 7 2024, by Jules Bernstein



Simplified diagram for the proposed CELF-based biorefineries outlining the mass integration strategy. CELF: co-solvent enhanced lignocellulosic fractionation. Credit: *Energy & Environmental Science* (2023). DOI: 10.1039/D3EE02532B

When it comes to making fuel from plants, the first step has always been

the hardest—breaking down the plant matter. A new study finds that introducing a simple, renewable chemical to the pretreatment step can finally make next-generation biofuel production both cost-effective and carbon-neutral.

For biofuels to compete with petroleum, biorefinery operations must be designed to better utilize [lignin](#). Lignin is one of the main components of plant cell walls. It provides plants with greater structural integrity and resiliency from microbial attacks. However, these natural properties of lignin also make it difficult to extract and utilize from the plant matter, also known as biomass.


"Lignin utilization is the gateway to making what you want out of biomass in the most economical and environmentally friendly way possible," said UC Riverside Associate Research Professor Charles Cai. "Designing a process that can better utilize both the lignin and sugars found in biomass is one of the most exciting technical challenges in this field."

To overcome the lignin hurdle, Cai invented CELF, which stands for co-solvent enhanced lignocellulosic fractionation. It is an innovative biomass pretreatment technology.

"CELf uses tetrahydrofuran or THF to supplement water and dilute acid during biomass pretreatment. It improves overall efficiency and adds lignin extraction capabilities," Cai said. "Best of all, THF itself can be made from biomass sugars."

A landmark [paper](#) published in *Energy & Environmental Science* details the degree to which a CELF biorefinery offers economic and environmental benefits over both petroleum-based fuels and earlier [biofuel](#) production methods.

The paper is a collaboration between Cai's research team at UCR, the Center for Bioenergy Innovation managed by Oak Ridge National Laboratories, and the National Renewable Energy Laboratory. In it, the researchers consider two main variables: What kind of biomass is most ideal and what to do with the lignin once it's been extracted.



UCR's Charles Cai and a newly installed 20-gallon CELF reactor that will be used in the scale-up project. Credit: Stan Lim / UCR

First-generation biofuel operations use food crops like corn, soy, and sugarcane as raw materials, or feedstocks. Because these feedstocks divert land and water away from food production, using them for

biofuels is not ideal.

Second-generation operations use non-edible plant biomass as feedstocks. An example of biomass feedstocks includes wood residues from milling operations, sugarcane bagasse, or corn stover, all of which are abundant low-cost byproducts of forestry and agricultural operations.

According to the Department of Energy, up to a [billion tons](#) per year of biomass could be made available for the manufacture of biofuels and bioproducts in the U.S. alone, capable of displacing 30% of our petroleum consumption while also creating new domestic jobs.

Because a CELF biorefinery can more fully utilize plant matter than earlier second-generation methods, the researchers found that a heavier, denser feedstock like hardwood poplar is preferable over less carbon-dense corn stover for yielding greater economic and environmental benefits.

Using poplar in a CELF biorefinery, the researchers demonstrate that sustainable aviation fuel could be made at a break-even price as low as \$3.15 per gallon of gasoline equivalent. The current [average cost](#) for a gallon of jet fuel in the U.S. is \$5.96.

The U.S. government issues credits for biofuel production in the form of renewable identification number credits, a subsidy meant to bolster domestic biofuel production. The tier of these credits issued for second-generation biofuels, the D3 tier, is typically traded at \$1 per gallon or higher. At this price per credit, the paper demonstrates that one can expect a rate of return of over 20% from the operation.

"Spending a little more for a more carbon-rich feedstock like poplar still yields more [economic benefits](#) than a cheaper feedstock like corn stover, because you can make more fuel and chemicals from it," Cai said.

The paper also illustrates how lignin utilization can positively contribute to overall biorefinery economics while keeping the carbon footprint as low as possible. In older biorefinery models, where biomass is cooked in water and acid, the lignin is mostly unusable for more than its heating value.

"The older models would elect to burn the lignin to supplement heat and energy for these biorefineries because they could mostly only leverage the sugars in the biomass—a costly proposition that leaves a lot of value off the table," said Cai.

In addition to better lignin utilization, the CELF biorefinery model also proposes to produce renewable chemicals. These chemicals could be used as building blocks for bioplastics and food and drink flavoring compounds. These chemicals take up some of the carbon in the plant biomass that would not get released back into the atmosphere as CO<sub>2</sub>.

"Adding THF helps reduce the energy cost of pretreatment and helps isolate lignin, so you wouldn't have to burn it anymore. On top of that, we can make renewable chemicals that help us achieve a near-zero global warming potential," Cai said. "I think this moves the needle from Gen 2 biofuels to Gen 2+."

In light of the team's recent successes, the Department of Energy's Bioenergy Technology Office has awarded the researchers a \$2 million grant to build a small-scale CELF pilot plant at UCR. Cai hopes that demonstrating the pilot plant will lead to larger-scale investment in the technology, as harnessing energy from fossil fuels adds to global warming and hurts the planet.

"I began this work more than a decade ago because I wanted to make an impact. I wanted to find a viable alternative to fossil fuels and my colleagues and I have done that," Cai said. "Using CELF, we have shown

it is possible to create cost-effective fuels from biomass and lignin and help curb our contribution of carbon emissions into the atmosphere."

**More information:** Bruno Colling Klein et al, Economics and global warming potential of a commercial-scale delignifying biorefinery based on co-solvent enhanced lignocellulosic fractionation to produce alcohols, sustainable aviation fuels, and co-products from biomass, *Energy & Environmental Science* (2023). [DOI: 10.1039/D3EE02532B](https://doi.org/10.1039/D3EE02532B)

Provided by University of California - Riverside

Citation: Inexpensive, carbon-neutral biofuels are finally possible (2024, February 7) retrieved 12 May 2024 from <https://techxplore.com/news/2024-02-inexpensive-carbon-neutral-biofuels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.