


Scientists develop 3D-printed pneumatic modules that control the movements of soft robots using air pressure

February 1 2024



As an example of more complex control systems, the research team has also developed an electronics-free drinks dispenser. Credit: Falk Tauber

In the future, soft robots will be able to perform tasks that cannot be

done by conventional robots. These soft robots could be used in terrain that is difficult to access and in environments where they are exposed to chemicals or radiation that would harm electronically controlled robots made of metal. This requires such soft robots to be controllable without any electronics, which is still a challenge in development.

A research team at the University of Freiburg has now developed 3D-printed pneumatic logic modules that control the movements of soft robots using air pressure alone. These modules enable logical switching of the air flow and can thus imitate electrical control.

The modules make it possible for the first time to produce flexible and electronics-free soft robots entirely in a 3D printer using conventional filament printing material.

The team, led by Dr. Stefan Conrad, Dr. Falk Tauber, Joscha Teichmann and Prof. Dr. Thomas Speck, has published the results in [Science Robotics](#).

"Our design makes it possible for anyone with 3D printing experience to produce such logic modules and use them to control a soft robot without the need for high-end printing equipment," says Conrad. "This marks a significant step towards completely electronics-free pneumatic control circuits that can replace increasingly complex electrical components in [soft robots](#) in the future."

Modules can perform Boolean operations and direct airflow into movement elements in a targeted manner

The modules consist of two pressurized chambers. A 3D-printed channel runs between these chambers. By compressing the channel, the expanding chambers can stop the air flow in it and regulate it like a valve.

By opening and closing the valve in a targeted manner, the modules can perform the Boolean logic functions AND, OR and NOT in a similar way to [electrical circuits](#) and direct the air flow into the movement elements of the soft robot. Which function the individual module performs is determined by the chambers into which air pressure is applied.

Depending on the material selected, the modules can be operated with a pressure of between 80 and more than 750 kilopascals. Compared to other pneumatic systems, they have a fast response time of around 100 milliseconds.

Wide range of applications

"The potential applications of these modules are enormous. We have developed a flexible 3D-printed robotic walker that is controlled by an integrated circuit using [air pressure](#). The flexibility of the logic modules is demonstrated by the fact that this walker can even withstand the load of a car driving over it," says Tauber.

"As an example of more complex control systems, we have also developed an electronics-free drinks dispenser."

More information: S. Conrad et al, 3D-printed digital pneumatic logic for the control of soft robotic actuators, *Science Robotics* (2024). [DOI: 10.1126/scirobotics.adh4060](https://doi.org/10.1126/scirobotics.adh4060)

Provided by University of Freiburg

Citation: Scientists develop 3D-printed pneumatic modules that control the movements of soft robots using air pressure (2024, February 1) retrieved 19 April 2024 from

<https://techxplore.com/news/2024-02-scientists-3d-pneumatic-modules-movements.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.