


# Researchers improve the stability of perovskite solar cells

February 29 2024



Interfacial Engineering Through Lead Binding Using Crown Ethers in Perovskite Solar Cells  
Kim et al. (2024) | Journal of Energy Chemistry | DOI: 10.1016/j.jechem.2024.01.042

Lab website:  
<https://sites.google.com/view/semnd>  
ORCID ID:  
0000-0002-0473-1279



PUSAN NATIONAL UNIVERSITY

Researchers from Pusan National University show that crown ethers, specifically B18C6, can prevent lead leakage by forming strong host-guest bonds with lead ions in perovskite solar cells. They also provide higher resistance to degradation due to moisture. Credit: Ji-Youn Seo, Pusan National University

Perovskite solar cells are thought of as the strongest contender to replace conventional silicon solar cells in next-generation photovoltaics. They

are made of an  $A^+$  cation, a  $B^{2+}$  divalent cation, and an  $X^-$  halide. Generally containing  $Pb^{2+}$  or  $Sn^{2+}$ , they achieve high power conversion energy that is suitable for commercial use.

Unfortunately, the presence of lead ions causes issues such as lead leakage, which is a hazard to the environment. Moreover, in the presence of moisture, the perovskite tends to corrode. Multiple approaches have been suggested to resolve this issue, including encapsulating the device and compositional engineering of the perovskite light absorbers.

Now, a team of researchers from Pusan National University in South Korea has published a study in the [Journal of Energy Chemistry](#) in this direction. The researchers tested many crown ethers in this study to improve the stability of perovskite [solar cells](#).

When asked about the relevance of this study, lead researcher Assistant Professor Ji-Youn Seo from the team said, "This study emphasizes the efficacy of interface passivation by achieving increased power conversion efficiency and demonstrates that crown ether not only blocks lead leakage through the formation of host-guest complexes with lead ions but also imparts strong resistance to moisture to the treated films, showing improved long-term stability in high humidity environments compared to existing solutions."

"This research highlights the potential of crown ether to simultaneously address lead leakage and long-term stability for sustainable perovskite solar cells ready to advance commercialization and renewable energy applications."

The team found that B18C6 was the best ether for interfacial passivation. With B18C6, there was an increased charge carrier lifetime (or the time spent by an electron in the conduction band of a semiconductor and a hole in the valence band of a semiconductor) seen

within the perovskite.

The work function (or the minimum energy required to move an electron from a metal's surface) between the hole transfer material and the perovskite was also improved. Thus, the researchers obtained an exceptional [power conversion efficiency](#) of 21.7% with B18C6. Compared to untreated perovskites that showed signs of lead leakage, the perovskites with B18C6 showed no signs of lead leakage when a depth profile of all layers was conducted.

Furthermore, while normal perovskites showed lead iodide formation when exposed to 95% humidity at room temperature for 300 hours, no such issue was observed for the perovskite passivated by B18C6.

Within the next five years, perovskite solar cell technology, as a type of next-generation emerging solar technology, is positioned to replace the globally prevalent silicon solar cells potentially. This technology can enhance photoelectric conversion efficiency to over 30% when used alongside existing silicon solar cells, thereby increasing the possibility of replacing fossil fuel-based energy sources and contributing to the achievement of carbon neutrality.

Additionally, [perovskite](#) solar cells exhibit superior photoelectric conversion efficiency even under indoor lighting, making them applicable to electronic devices and the Internet of Things (IoT), thus offering significant energy-saving opportunities.

"In ten years, this technology could be applied to the energy, display, and semiconductor materials industries through the heterojunction structure."

"If leveraged effectively, it could lead to the development of high-efficiency hydrogen production devices, high-brightness, flexible

displays, and the development of three-dimensional organic and inorganic semiconductor materials and devices, contributing to leading the advancement of high-tech nations," says Dr. Seo about the long-term implications of this study.

**More information:** Sun-Ju Kim et al, Interfacial engineering through lead binding using crown ethers in perovskite solar cells, *Journal of Energy Chemistry* (2024). [DOI: 10.1016/j.jechem.2024.01.042](https://doi.org/10.1016/j.jechem.2024.01.042)

Provided by Pusan National University

Citation: Researchers improve the stability of perovskite solar cells (2024, February 29) retrieved 8 May 2024 from <https://techxplore.com/news/2024-02-stability-perovskite-solar-cells.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--