

Research team develops metamaterial to enable real-time shape and property control

February 6 2024, by JooHyeon Heo



Figure 1. Concept and mechanism of PPMM for in situ programming of mechanical behaviors. The design concept of using digital patterns of binary numbers "0" and "1" to project versatile mechanical information. The binary information of a digital pixel is translated to discrete stiffness states of the corresponding mechanical pixel. A schematic gallery of several mechanical capabilities is shown derived from various digitalized pattern instructions. Credit: *Advanced Materials* (2023). DOI: 10.1002/adma.202304302

Inspired by the remarkable adaptability observed in biological organisms like the octopus, a breakthrough has been achieved in the field of soft



robotics. A research team, led by Professor Jiyun Kim in the Department of Materials Science and Engineering at UNIST has successfully developed an encodable multifunctional material that can dynamically tune its shape and mechanical properties in real time.

This metamaterial surpasses the limitations of existing <u>materials</u>, opening up new possibilities for applications in robotics and other fields requiring adaptability. The research is <u>published</u> in the journal *Advanced Materials*.

Current soft robots lack the level of adaptability demonstrated by their biological counterparts, primarily due to limited real-time tunability and restricted reprogrammable space of properties and functionalities. In order to bridge this gap, the research team introduced a novel approach utilizing graphical stiffness patterns.

By independently switching the digital binary stiffness states (soft or rigid) of individual constituent units within a simple auxetic structure featuring elliptical voids, the material achieves in situ and gradational tunability across various mechanical qualities.

The digitally programmable material exhibits remarkable mechanical capabilities, including shape-shifting and memory, stress-strain response, and Poisson's ratio under compressive load. Furthermore, it demonstrates application-oriented functionalities such as tunable and reusable energy absorption and pressure delivery. This breakthrough material serves as a stepping stone toward the development of fully adaptive soft robots and smart interactive machines.





Figure 2. Shape-shifting and shape-memory capabilities. a) Schematic illustration of various producible shape-shifting modes with simulation and experimental results. b–d) Quantitative programming of various shape-shifting parameters: b) contractability, c) shear angle Φ , and d) flexure angle θ . Digital patterns are explored and developed while preserving each reconfiguration mechanism to achieve stepwise tunability. Compressive load = 1 kg. Credit: *Advanced Materials* (2023). DOI: 10.1002/adma.202304302



Figure 3. PPMM as an adaptive and reusable energy absorption material. Credit: *Advanced Materials* (2023). DOI: 10.1002/adma.202304302

"We have developed a metamaterial that can implement desired characteristics within minutes, without the need for additional hardware," stated Jun Kyu Choe, a researcher at Seok and Park Integration Course and the first author of the study. "This opens up new possibilities for advanced adaptive materials and the future development of adaptive robots."

The research team showcased the material's potential by demonstrating an "adaptive shock energy absorbing material," which adjusts its properties in response to unexpected impacts. By minimizing the force transmitted to the protected object, this material significantly reduces



the risk of damage or injury.

Additionally, the team utilized the metamaterial as a "force transmission material," capable of delivering forces at desired locations and times. By inputting specific digital commands, the material selectively operates adjacent LED switches, enabling <u>precise control</u> over force transmission pathways.

Professor Kim emphasized the compatibility of this metamaterial with artificial intelligence technologies, such as <u>deep learning</u>, as well as existing digital technologies and devices. "This metamaterial, capable of converting <u>digital information</u> into physical information in real time, will pave the way for innovative new materials that can learn and adapt to their surroundings," added Professor Kim.

More information: Jun Kyu Choe et al, Digital Mechanical Metamaterial: Encoding Mechanical Information with Graphical Stiffness Pattern for Adaptive Soft Machines, *Advanced Materials* (2023). DOI: 10.1002/adma.202304302

Provided by Ulsan National Institute of Science and Technology

Citation: Research team develops metamaterial to enable real-time shape and property control (2024, February 6) retrieved 9 May 2024 from <u>https://techxplore.com/news/2024-02-team-metamaterial-enable-real-property.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.