


# Researchers develop bendable energy storage materials

March 19 2024



Synergistic effect of thermal activation and plasma. Credit: POSTECH


Imagine being able to wear your smartphone on your wrist, not as a watch, but literally as a flexible band that surrounds around your arm. How about clothes that charge your gadgets just by wearing them?

Recently, a collaborative team led by Professor Jin Kon Kim and others has brought a step closer to making this realty. This research work was [published](#) in *Advanced Materials*.

Mesoporous metal oxides (MMOs) are characterized by pores ranging

from 2 to 50 nanometers (nm) in size. Due to their extensive surface area, MMOs have various applications, such as high-performance [energy storage](#) and efficient catalysis, semiconductors, and sensors. However, the integration of MMOs on wearable and [flexible devices](#) remains a great challenge, because plastic substrates could not maintain their integrity at elevated temperatures (350°C or above) where MMOs could be synthesized.

*Simultaneously induction of MO formation and template removal*



Simultaneously induction of metal oxides formation and template removal.  
Credit: POSTECH

The research team tackled this problem by using synergetic effect of heat and [plasma](#) to synthesize various MMOs including vanadium oxide (V<sub>2</sub>O<sub>5</sub>), renowned high-performance energy storage materials, V<sub>6</sub>O<sub>13</sub>, TiO<sub>2</sub>, Nb<sub>2</sub>O<sub>5</sub>, and WO<sub>3</sub>, on flexible materials at much lower temperatures (150 ~ 200°C). The high reactive plasma chemical moieties provide enough energy that could be compensated by high temperature. The fabricated devices could be bent thousands of times without losing the energy storage performance.

Professor Jin Kon Kim said, "We're on the brink of a revolution in [wearable tech](#). Our breakthrough could lead to gadgets that are not only more flexible but also much more adaptable to our daily needs."

**More information:** Keon-Woo Kim et al, Low-Temperature, Universal Synthetic Route for Mesoporous Metal Oxides by Exploiting Synergistic Effect of Thermal Activation and Plasma, *Advanced Materials* (2024). [DOI: 10.1002/adma.202311809](https://doi.org/10.1002/adma.202311809)

Provided by Pohang University of Science and Technology

Citation: Researchers develop bendable energy storage materials (2024, March 19) retrieved 27 April 2024 from <https://techxplore.com/news/2024-03-bendable-energy-storage-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.