


Global-local path choice model: A new method to understand the walkability of cities

March 11 2024



The global-local path choice model explains the extent to which different attributes influence pedestrians' global and local path choices. In this example, the pedestrians are more likely to choose Street 1, which is more visually attractive than efficient. Credit: Professor Yuki Oyama/Shibaura Institute of Technology

In many cities worldwide, the notion of walking as sustainable urban mobility is becoming increasingly popular. Improving the walkability of cities has many benefits, including improved health, reduced traffic, and consequently lower air pollution. To improve walkability, it is important to conduct a thorough analysis of what factors make cities more walkable.

One essential aspect of analyzing walkability is understanding [traveler](#) behavior. Before and during their journey, various factors can influence their path choices. For example, travelers can consider the most efficient route before starting but could encounter unexpected events necessitating route changes. Factors like surface conditions, [traffic lights](#), or a more scenic view can also influence their decisions.

As such, the path choice of travelers can be categorized into two routing mechanismsâ€;"global path preferences and local responses to the perceived attributes of the path. While global preferences like the total distance can play a role, pedestrians often prioritize locally perceived attributes. Thus, it is necessary to understand to what extent and which attributes influence the global and local preferences of travelers and related design policies.

To address this, Associate Professor Yuki Oyama from the Department of Civil Engineering at Shibaura Institute of Technology, Japan, developed a novel network path choice model called the global-local path choice model.

"Traditional route choice models typically assume that travelers mainly have global preferences such as using the [shortest path](#). However, in

reality, travelers locally perceive and respond to different attributes of a path, and capturing this behavior has been challenging. The present model successfully analyses this behavior," explains Dr. Oyama.

The details of the model were outlined in a study [published in *Transportation Research Part A: Policy and Practice*](#).

Central to this innovative model is a reward decomposition approach integrated into a link-based (Markovian) path choice model, which considers path choice as sequential link choices towards the destination in a Markovian way.

In this approach, the Markovian reward function is broken down into a global utility, which is a function of attributes that can be globally perceived from anywhere, and a local utility, a function of attributes that can be only locally perceived from the current state. This enables empirical analyses of the influence of different attributes on the local and global path choices of travelers.

Dr. Oyama applied this model to study a real pedestrian network using GPS data collected from pedestrian movements. In this analysis, the green view index (GVI), which represents the greenery around streets extracted from Google Street View images, was used as a locally perceived attribute. The idea was to study how visual street quality influences the decisions of pedestrians.

The results revealed that pedestrians locally perceived and reacted to GVI values rather than having pre-trip global perceptions of the values. Moreover, results also revealed the importance of the location of interventions like increasing greenery and showed that interventions should be placed on streets that are directly connected to the most walked-on streets.

Highlighting the potential applications of the study, Dr. Oyama says, "This method can be used as a decision-making tool for the design and control of a transportation network as well as visual information provision for route guidance. Moreover, beyond travelers in transportation networks, this model can contribute to elucidating the routing behavior of other agents like animals."

Overall, this study provides a new way for analyzing walkability from the viewpoint of pedestrians' local responses to the environment, paving the way for more walkable and environment-friendly cities.

More information: Yuki Oyama, Global path preference and local response: A reward decomposition approach for network path choice analysis in the presence of visually perceived attributes, *Transportation Research Part A: Policy and Practice* (2024). [DOI: 10.1016/j.tra.2024.103998](https://doi.org/10.1016/j.tra.2024.103998)

Provided by Shibaura Institute of Technology

Citation: Global-local path choice model: A new method to understand the walkability of cities (2024, March 11) retrieved 21 June 2024 from <https://techxplore.com/news/2024-03-global-local-path-choice-method.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.