

Physicists develop a modular robot with liquid and solid properties

March 8 2024, by Maureen Searcy



The Granulobot is composed of simple gear-like units with magnets. This design allows the individual units to move as a whole, much like a swarm of bees.

Credit: Saintyves and Jaeger

Schools of fish, colonies of bees, and [murmurations of starlings](#) exhibit swarming behavior in nature, flowing like a liquid in synchronized, shape-shifting coordination. Through the lens of fluid mechanics, swarming is of particular interest to physicists like Heinrich Jaeger, the

University of Chicago Sewell Avery Distinguished Service Professor in Physics and the James Franck Institute, and James Franck Institute research staff scientist Baudouin Saintyves, who apply physics principles to the development of modular, adaptive robotics.


A swarm's ability to flow like liquid, act in concert without a leader, and react to its environment inspired Saintyves and Jaeger's latest creation, which they call the "Granulobot." It can split apart, reassemble, and reorganize to adapt to its environment. And depending on its configuration, it can act like either a rigid solid or a flowing liquid.

The aggregate system "blurs the distinction between soft, modular, and swarm robotics," says the team.

Developed in collaboration with Matthew Spenko, professor in the Department of Mechanical and Aerospace Engineering at the Illinois Institute of Technology at Chicago, the prototype is described in a paper [published in *Science Robotics*](#).

Soft machines

The "granular robot" is a collection of simple, cylindrical, gear-like units, outfitted with two magnets that can rotate around the cylinder's axis. One magnet rotates freely while a battery-powered motor drives the other. This design allows the individual units to connect magnetically and once coupled, push their neighbors and cause them to spin. The contact between each unit moves the aggregate as a whole, much like a swarm.



Red arrows represent the actuated magnets' direction of rotation. Blue arrows represent Granulobots in the process of reconfiguration. (A) Individual Granulobot units can roll and attach magnetically into larger assemblies, which then can move using a subset of units as wheels. (B) Exerting torque onto their neighbors, individual units, and groups of units can reposition themselves and thus rearrange the assembly's shape. (C) By exerting torque larger than the magnetic binding between neighbors, units can split off and form autonomous robots on their own. Credit: Baudouin Saintyves

"The field of soft robotics is particularly interesting for applications where robots interface with humans," says Jaeger. "You don't want people to get hurt." Yet the necessity for soft robotics extends beyond safety into suitability. A robot that can change shape can crawl into "nooks and crannies," says Jaeger, or manage uncertain terrain—both useful for search and rescue, for instance.

For a robot to change shape and perform different functions, its ability to fluctuate between rigid and soft predictably and reversibly is key. Granular materials possess inherent properties that make this transformation possible. This class of materials can transition between

liquid and solid behavior based on contact rather than temperature.

That transition is caused by a phenomenon called jamming, which happens when particles in a disordered, chaotic system are so close together that they push against each other, and their flow stops.

Jaeger—a condensed matter physicist—describes driving on a highway: Sometimes you're cruising along, but sometimes you hit bumper-to-bumper cars, and traffic grinds to a halt. When this happens in a granular material, says Jaeger, "it's essentially a big traffic jam."

Jamming can be seen in action with a brick of vacuum-sealed coffee: Break the seal and the coffee grounds can pour out. Ground coffee works so well in this regard that Jaeger used it to create a [soft robotic gripper](#) that can grasp and hold objects regardless of their shape.

A Granulobot cylinder is far bigger than a coffee ground, but the principle is the same. "Jamming is the foundation for the Granulobot to be able to transition from a malleable, more liquid behavior," says Jaeger, "to something much more like a solid."

Scalability

The Granulobot is designed to demonstrate the team's modular, self-organizing approach, but in the future, perhaps the modules could be extremely small—thousands of units so tiny that the group appears to be a singular mass, notes Jaeger. "Another direction that could be really fun to think about is to make them much, much bigger."

Physics often relies on specific conditions, says Jaeger—extremely small or hot or cold. "Many of my colleagues must work in certain environments, otherwise their whole physics won't work. The same can be said for life."

Yet the physics principles underpinning the Granulobot are not tied to scale or temperature. "They could work underwater; they could work in outer space," says Jaeger.

The Granulobot promises exciting advances in robotics, but Saintyves and Jaeger are physicists. They are using this research to also find new ways to think about matter.

"Depending on the self-coordination and the transfer of energy around the environment, your system will either be a programmable material or an autonomous robot. That's a continuum," says Saintyves. But "we're blurring the frontier between matter and robotics." Within a classical programmable matter approach, the material is a machine; "Here we are exploring the idea that the machine is a material."

More information: Baudouin Saintyves et al, A self-organizing robotic aggregate using solid and liquid-like collective states, *Science Robotics* (2024). [DOI: 10.1126/scirobotics.adh4130](https://doi.org/10.1126/scirobotics.adh4130)

Provided by University of Chicago

Citation: Physicists develop a modular robot with liquid and solid properties (2024, March 8) retrieved 11 May 2024 from <https://techxplore.com/news/2024-03-physicists-modular-robot-liquid-solid.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--