


Staying in the loop: How superconductors are helping computers 'remember'

March 13 2024, by Michelle Franklin



Credit: Pixabay/CC0 Public Domain

Computers work in digits—0s and 1s, to be exact. Their calculations are

digital; their processes are digital; even their memories are digital. All of which require extraordinary power resources. As we look to the next evolution of computing and developing neuromorphic or "brain-like" computing, those power requirements are unfeasible.

To advance [neuromorphic computing](#), some researchers are looking at analog improvements. In other words, not just advancing software, but advancing hardware too. Research from the University of California San Diego and UC Riverside shows a promising new way to store and transmit information using disordered superconducting loops.

The team's research, which [appears](#) in the *Proceedings of the National Academy of Sciences*, offers the ability of superconducting loops to demonstrate associative memory, which, in humans, allows the brain to remember the relationship between two unrelated items.

"I hope what we're designing, simulating and building will be able to do that kind of associative processing really fast," stated UC San Diego Professor of Physics Robert C. Dynes, who is one of the paper's co-authors.

Creating lasting memories

Picture it: you're at a party and run into someone you haven't seen in a while. You know their name but can't quite recall it. Your brain starts to root around for the information: where did I meet this person? How were we introduced? If you're lucky, your brain finds the pathway to retrieve what was missing. Sometimes, of course, you're unlucky.

Dynes believes that [short-term memory](#) moves into long-term memory with repetition. In the case of a name, the more you see the person and use the name, the more deeply it is written into memory. This is why we still remember a song from when we were ten years old but can't

remember what we had for lunch yesterday.

"Our brains have this remarkable gift of associative memory, which we don't really understand," stated Dynes, who is also president emeritus of the University of California and former UC San Diego chancellor. "It can work through the probability of answers because it's so highly interconnected. This computer brain we built and modeled is also highly interactive. If you input a signal, the whole computer brain knows you did it."

Staying in the loop

How do disordered superconducting loops work? You need a superconducting material—in this case, the team used yttrium barium copper oxide (YBCO). Known as a high-temperature superconductor, YBCO becomes superconducting at around 90 Kelvin (-297 F), which, in the world of physics, is not that cold. This made it relatively easy to modify.

The YBCO thin films (about 10 microns wide) were manipulated with a combination of magnetic fields and currents to create a single flux quantum on the loop. When the current was removed, the flux quantum stayed in the loop. Think of this as a piece of information or memory.

This is one loop, but associative memory and processing require at least two pieces of information. For this, Dynes used disordered loops, meaning the loops are different sizes and follow different patterns—essentially random.

A Josephson juncture, or "weak link," as it is sometimes known, in each loop acted as a gate through which the flux quanta could pass. This is how information is transferred, and the associations are built.

Although traditional computing architecture has continuous high-energy requirements, not just for processing but also for memory storage, these superconducting loops show significant power savings—on the scale of a million times less. This is because the loops only require power when performing logic tasks. Memories are stored in the physical [superconducting material](#) and can remain there permanently as long as the loop remains superconducting.

The number of memory locations available increases exponentially with more loops: one loop has three locations, but three loops have 27. For this research, the team built four loops with 81 locations. Next, Dynes would like to expand the number of loops and the number of memory locations.

"We know these loops can store memories. We know that [associative memory](#) works. We just don't know how stable it is with a higher number of loops," he said.

This work is not only noteworthy to physicists and computer engineers; it may also be important to neuroscientists. Dynes talked to another University of California president emeritus, Richard Atkinson, a cognitive scientist who helped create a seminal model of human memory called the Atkinson-Shiffrin model.

Atkinson, who is also former UC San Diego chancellor and professor emeritus in the School of Social Sciences, was excited about the possibilities he saw, "Bob and I have had some great discussions trying to determine if his physics-based [neural network](#) could be used to model the Atkinson-Shiffrin theory of memory."

"His system is quite different from other proposed physics-based neural networks and is rich enough that it could be used to explain the workings of the brain's memory system in terms of the underlying physical

process. It's a very exciting prospect."

More information: Uday S. Goteti et al, Collective neural network behavior in a dynamically driven disordered system of superconducting loops, *Proceedings of the National Academy of Sciences* (2024). [DOI: 10.1073/pnas.2314995121](https://doi.org/10.1073/pnas.2314995121)

Provided by University of California - San Diego

Citation: Staying in the loop: How superconductors are helping computers 'remember' (2024, March 13) retrieved 27 April 2024 from <https://techxplore.com/news/2024-03-staying-loop-superconductors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.