

Are high-purity cathode materials truly necessary? An alternative to reduce secondary battery costs

April 1 2024



Managing the level of magnesium impurity purification emerges as a pivotal process in regulating secondary battery cathode material productivity, longevity, and eco-friendliness. Credit: POSTECH

Manufacturers of secondary battery cells (LG Energy Solution, Samsung SDI, and SK) have been insisting on very stringent purity specifications from suppliers of cathode materials to ensure a consistent quality output.

The purity specifications for cathode materials have been closely guarded as <u>trade secrets</u>, with little active scrutiny on the necessity of



such high specifications. In response to the demands of cell manufacturers, suppliers of cathode materials have been investing significantly in purifying raw metals, consequently raising the unit cost of batteries.

A research team has discovered that the purity specifications for cathode materials, as set by cell manufacturers, are overly stringent.

Their research demonstrates that streamlining the <u>lithium</u> refining process could substantially reduce the unit cost of batteries. The research findings are <u>published</u> in *Nature Communications*.

In this research, the team delved into the impact of lithium raw material purity on the production and performance of secondary battery <u>cathode</u> <u>materials</u>. Conventionally, it's assumed that impurities in lithium materials hamper secondary battery performance. Therefore, the goal is to manufacture lithium materials with purity of at least 99.5%.

Nevertheless, the team uncovered that the presence of approximately 1% magnesium (Mg) impurity in the lithium raw material actually enhances process efficiency and prolongs the secondary battery's lifespan. Through their experiments, they demonstrated that utilizing low-purity lithium, not entirely rid of <u>impurities</u>, could reduce secondary battery production costs and <u>carbon dioxide emissions</u> by up to 19.4% and 9.0%, respectively.

The researchers were led by Professor Yong-Tae Kim from the Department of Materials Science and Engineering at Pohang University of Science and Technology (POSTECH), in <u>collaboration</u> with Professor Kyu-Young Park from the Graduate Institute of Ferrous & Eco Materials Technology and the Department of Materials Science and Engineering at POSTECH, and the research team of Dr. Woochul Jung from the Research Institute of Industrial Science and Technology



(RIST).

Professor Kim stated, "Secondary battery cell manufacturers need to reassess whether their current cathode material specifications are too stringent. Considering unconventional approaches could offer a fresh strategy against China's aggressively low prices."

More information: Gogwon Choe et al, Re-evaluation of batterygrade lithium purity toward sustainable batteries, *Nature Communications* (2024). DOI: 10.1038/s41467-024-44812-3

Provided by Pohang University of Science and Technology

Citation: Are high-purity cathode materials truly necessary? An alternative to reduce secondary battery costs (2024, April 1) retrieved 21 May 2024 from <u>https://techxplore.com/news/2024-04-high-purity-cathode-materials-alternative.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.