


Safeguarding urban infrastructure from subsidence and liquefaction risks in Tokyo

May 30 2024



Soil liquefaction and subsidence can cause severe damage to infrastructure. To tackle this issue, researchers have created a machine-learning model capable of predicting the thickness and depth of soil-bearing layers. This model helps identify stable areas for construction and enables real-time monitoring of soil conditions, leading to safer and more resilient cities. Credit: Shinya Inazumi from SIT, Japan <https://www.mdpi.com/2624-6511/7/3/46>

Researchers have developed a system to address risks caused by liquefaction and subsidence, two soil deformation events triggered by earthquakes that cause buildings to tilt and sink. The team includes Professor Shinya Inazumi and Ph.D. student Yuxin Cong from the Graduate School of Engineering and Science, both at Shibaura Institute of Technology.

In a study [published](#) in the journal *Smart Cities* on 6 May 2024, they introduce a [predictive model](#) that maps the distribution of soil-bearing layers. The model can identify regions suitable for construction, mitigating the risk of structural failure during earthquakes.

"In the broader context of [smart cities](#), the implications of this study are many. Using advanced predictive models, [urban planners](#) and engineers can more accurately assess the suitability of sites for development and optimize the design and placement of buildings, infrastructure, and public utilities," explains Prof. Inazumi.

Predicting which regions are vulnerable to these effects is challenging as it is impractical to evaluate [soil conditions](#) at every location. To address this, researchers developed a model to predict soil bearing strength and the thickness of bearing layers using geotechnical data from 433 sites in Setagaya, Tokyo. This data was obtained using the Standard Penetration Test and the Mini-Ram Sounding Test, two methods widely used in Japan to assess soil density and foundation requirements.

Using this data, researchers applied the kriging method, a well-known statistical technique, to make predictions of soil-bearing layer thickness and depth based on geographic coordinates such as latitude and longitude. This produced a three-dimensional map showing the distribution of bearing layers at different locations in Setagaya, Tokyo.

To further improve prediction accuracy, they used the bagging technique, an ensemble learning method, which combines predictions from multiple models to produce a more accurate result. For this method, they included [geographical data](#) such as latitude, longitude, and elevation along with the geotechnical data to improve the predictive capabilities of the model.

The bearing strength and thickness of soil layers are indicators of the

soil's ability to support buildings and other heavy structures. A generated map of soil-bearing properties can help city planners ensure structures are built on stable foundations, minimizing the risk of failure during soil deformation events.

Additionally, the model can be integrated with [real-time data](#) from sensors that monitor parameters such as moisture and ground movement. This allows city planners and engineers to continuously monitor changes in soil conditions and identify potential risks, such as soil instability, which could compromise safety.

Such a system advances disaster risk reduction efforts and contributes to Goal 11 of the UN's Sustainable Development Goals, which seeks to make cities and human settlements more inclusive, safe, resilient, and sustainable. Its implementation is particularly vital in planning resilient cities, especially in earthquake-prone regions like Japan.

"This study is useful for [real-time analysis](#) of existing data, for the government to make new urban plans, for construction companies to conduct risk assessments before doing their jobs, and for individuals to obtain real-time geographic data and hazard warnings through mobile phones and other means in the future," concludes Prof. Inazumi.

More information: Yuxin Cong et al, Integration of Smart City Technologies with Advanced Predictive Analytics for Geotechnical Investigations, *Smart Cities* (2024). [DOI: 10.3390/smartcities7030046](https://doi.org/10.3390/smartcities7030046)

Provided by Shibaura Institute of Technology

Citation: Safeguarding urban infrastructure from subsidence and liquefaction risks in Tokyo (2024, May 30) retrieved 17 July 2024 from <https://techxplore.com/news/2024-05-safeguarding->

<urban-infrastructure-subsidence-liquefaction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.