


Scientists determine disorder improves lithium-ion battery life

May 8 2024



The improved structural stability almost doubled the battery's capacity retention after 200 charging/discharging cycles. Credit: Roy Borghouts Fotografie

What determines the cycle life of batteries? And, more importantly, how can we extend it? An international research team led by TU Delft has

discovered that local disorder in the oxide cathode material increases the number of times Li-ion batteries can be charged and discharged. Their results have been [published](#) in *Nature*.

Rechargeable batteries are a key ingredient of the energy transition, especially now that more and more [renewable energy](#) is becoming available. Among the many types of [rechargeable batteries](#), Li-ion batteries are among the most powerful and widely used ones.

To electrically connect them, layered oxides are often used as electrodes. However, their [atomic structure](#) becomes unstable when the battery is being charged. This ultimately affects the battery cycle life.

To solve this problem, the "Storage of Electrochemical Energy" group at TU Delft teamed up with international researchers. Qidi Wang, the paper's lead author says, "The layered oxide used as [cathode material](#) for Li-ion batteries is neatly ordered. We conducted a structure design study to introduce chemical short-range disorder into this material through an improved synthesis method. As a result, it became more stable during battery use."

The improved structural stability almost doubled the battery's capacity retention after 200 charging/discharging cycles. In addition, this chemical short-range disorder increases the charge transfer in the electrode, resulting in shorter charging times. The team demonstrated these advantages for well-established commercial cathodes such as lithium cobalt oxide (LiCoO₂) and lithium nickel manganese cobalt oxide (NMC811).

The outcomes could lead to a new generation of Li-ion batteries, with a lower manufacturing cost and smaller CO₂ footprint per unit of energy stored over its lifetime. The team will next investigate if the same material design principles can be used to build cathodes from [raw](#)

[materials](#) that are less scarce.

"Both cobalt and nickel are so-called critical materials for energy technologies and it would be a good thing to reduce the use these materials in batteries," says the paper's senior author, Marnix Wagemaker.

More information: Qidi Wang, Chemical short-range disorder in lithium oxide cathodes, *Nature* (2024). [DOI: 10.1038/s41586-024-07362-8](#).
www.nature.com/articles/s41586-024-07362-8

Provided by Delft University of Technology

Citation: Scientists determine disorder improves lithium-ion battery life (2024, May 8) retrieved 13 July 2024 from <https://techxplore.com/news/2024-05-scientists-disorder-lithium-ion-battery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.