


# New recycling process can recover up to 99.97% of materials in perovskite solar cells

July 2 2024



Schematic diagram of closed-loop recycling of perovskite solar devices. Credit:

A recent study by the Helmholtz Institute Erlangen-Nuremberg, which is based at Forschungszentrum Jülich, has developed an efficient and environmentally friendly process for recycling perovskite solar cells.

The [paper](#), published in the journal *Energy & Environmental Science*, presents a method with which up to 99.97% of the materials used in a solar cell can be recovered and reused—with comparable efficiency, less waste and lower costs. This is the first time that such a high level of efficiency has been achieved in the [recycling](#) of [perovskite solar cells](#).

Using layer-by-layer solvent extraction, the research team has succeeded in recovering the individual components, purifying them and producing new solar cells from them. The method could enable a closed recycling loop for [solar modules](#) for the first time, which conserves resources and reduces waste.

This approach represents an advantage of perovskite solar cells over conventional silicon solar cells. Separating the individual components of silicon [photovoltaic modules](#) is very laborious due to the integrated, i.e., hardly separable, structure of the modules, which nevertheless enables the modules to have a long service life.

"The most significant aspect of this paper is its comprehensive evaluation. It goes beyond merely developing a recycling approach by thoroughly accessing its efficacy, [economic viability](#), and [environmental impact](#)," says Zhenni Wu from the lead team of researchers involved from the Helmholtz Institute Erlangen-Nuremberg.

Photovoltaics (PV) plays a crucial role in the energy transition. The solar

industry continues to grow: enormous capacities are set to be added in the coming decades. Although PV modules are designed to last as long as possible, up to now they have ended up in landfill along with their valuable materials at the end of their life. This means that not only material but also potential for savings is lost.

Technical and economic forecasts from the study indicate that the proposed recycling process has the potential for significant cost savings. In the laboratory, recycling could reduce material costs by up to 64%, and in industrial production by up to 61%.

**More information:** Zhenni Wu et al, Closing the loop: recycling of MAPbI<sub>3</sub> perovskite solar cells, *Energy & Environmental Science* (2024).  
[DOI: 10.1039/D4EE01071J](https://doi.org/10.1039/D4EE01071J)

Provided by Forschungszentrum Juelich

Citation: New recycling process can recover up to 99.97% of materials in perovskite solar cells (2024, July 2) retrieved 9 September 2024 from <https://techxplore.com/news/2024-07-recycling-recover-materials-perovskite-solar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.