


Researchers develop neural network algorithm to enhance gas detection technology

September 2 2024



Schematic diagram of TDLAS gas detection system with integrated neural network decoupling algorithm for aliasing spectra. Credit: Xiong Hao

Tunable diode laser absorption spectroscopy (TDLAS) technology holds significant potential for greenhouse gas detection, due to its advantages

of non-contact, real-time measurements. However, the technical bottleneck of cross-interference in gas absorption spectra has significantly constrained the development and application of this technique in simultaneous measurement of multi-component gases.

A [neural network](#)-based decoupling [algorithm](#) for aliased [spectra](#) offers a low-cost, low-complexity solution to this challenge. Recently, a research team led by Prof. Gao Xiaoming from the Hefei Institutes of Physical Science of the Chinese Academy of Sciences, developed an intelligent neural network algorithm that effectively tackled the long-standing issue of cross-interference in gas absorption spectra.

"This neural network algorithm made it way easier and more reliable to detect multiple gases at the same time," said Prof. Gao. The research results were [published](#) in *ACS Sensors*.

In their study, the researchers determined the optimal modulation depth under controlled laboratory conditions and generated a large dataset of aliased spectra to train the neural network. The extensive training improved the model's ability to generalize across different conditions. They also collected [experimental data](#) to fine-tune the model and validate its effectiveness.

"The beauty of this new method lies in its simplicity," said Gao. "It requires no additional hardware."

By using a neural network-based decoupling algorithm, the team was able to resolve spectral interference within the existing system, reducing both the complexity and cost of the design. The algorithm not only decoupled multi-component gas signals with high accuracy and stability but also adapted well to complex environments, thanks to transfer learning. It even allowed for simultaneous detection of multiple gases using a single laser, making the process more efficient.

This study highlighted the strong potential of neural networks for separating aliased spectra, providing valuable insights for implementing TDLAS gas detection systems in challenging environments.

More information: Hao Xiong et al, Neural Network Based Aliasing Spectral Decoupling Algorithm for Precise Mid-Infrared Multicomponent Gases Sensing, *ACS Sensors* (2024). [DOI: 10.1021/acssensors.4c01514](https://doi.org/10.1021/acssensors.4c01514)

Provided by Chinese Academy of Sciences

Citation: Researchers develop neural network algorithm to enhance gas detection technology (2024, September 2) retrieved 2 September 2024 from <https://techxplore.com/news/2024-09-neural-network-algorithm-gas-technology.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--