

# Researchers introduce novel catalyst for rechargeable metal-air batteries

25 October 2017



Professor Guntae Kim and his research team at UNIST. From left are Ohhun Gwon, Professor Kim, and Seona Kim. Credit: UNIST


Research in lithium-ion batteries has opened up a plethora of possibilities in the development of next-generation batteries. In particular, the metal-air batteries with significantly greater energy density close to that of gasoline per kilogram, has recently been acknowledged and invested by world's leading companies, like IBM.

A recent study, affiliated with UNIST has presented novel catalyst to accelerate the commercialization of metal-air batteries. This breakthrough has been jointly led by Professor Guntae Kim and Professor Jaephil Cho in the School of Energy and Chemical Engineering at UNIST in collaboration with Professor Yunfei Bu from Nanjing University of Science and Technology, Nanjing, China. Their new catalyst possesses the structure of nanofiber-based perovskite materials and exhibits excellent electrochemical performance, close that of today's precious metal catalysts, yet still inexpensive.

A metal-air battery is a type of fuel cell or battery that uses the oxidation of a metal with oxygen from atmospheric air to produce electricity. It is equipped with an anode made up of pure

metals—like lithium or zinc—and an air cathode that is connected to an inexhaustible source of air. The catalysts in the air cathode aids the electrochemical reaction of the cell with oxygen gas. Metal-air batteries have attracted significant research attention as the new generation of high-performance batteries as they the advantages of (1) simple structure, (2) extremely high energy density, and (3) a relatively inexpensive production.

The currently existing metal-air batteries use rare and expensive metal catalysts for their air electrodes, such as platinum (Pt) and iridium oxide (IrO<sub>2</sub>). This has hindered its further commercialization into the marketplace.



A mesoporous nanofiber of cation ordered perovskite was prepared via electrospinning process, which exhibited notable cell performance and exceptionally high stability for Zn-air battery. Credit: UNIST

In the study, Professor Kim and his research team have developed a new catalyst, using the cation ordered double perovskite with high electrical conductivity and catalytic performance. They prepared a series of PrBa<sub>0.5</sub>Sr<sub>0.5</sub>Co<sub>2-x</sub>Fe<sub>x</sub>O<sub>5+?</sub> (x = 0, 0.5, 1, 1.5, and 2, PBSCF) and determined the optimum cobalt (Co) and iron (Fe) contents through electrochemical evaluation.

"The structure of mesoporous

PrBa<sub>0.5</sub>Sr<sub>0.5</sub>Co<sub>2-x</sub>Fe<sub>x</sub>O<sub>5+?</sub> nanofiber (PBSCF-NF) has high surface areas, result from uniform pore diameters," says Ohhun Gwon in the Combined M.S/Ph.D. of Energy and Chemical Engineering, the first author of the study. "This nanofiber has also brought significant improvements in the performance of the oxygen reduction reaction (ORR) and oxygen evolution reaction (OER)."

According to the research team, this nanofiber has improved the bi-functionality of ORR/OER. Particularly, the OER performance was about 9 times higher than that of state-of-the-art precious metal oxide IrO<sub>2</sub> at overpotential of 0.3 V. Furthermore, it also demonstrated notable charge-discharge stability even at high current density in Zn-air batteries.

"We envision that the high electrochemical and catalytic performance of this material will play a major role in the commercialization of metal-air batteries," says Professor Kim. "Metal-air battery technology is still in its infancy and extensive additional research efforts appear to be required before a viable commercial implementation is developed."

He adds, "However, as many global corporates, such as IBM, Toyota, and Samsung Electronics are already working on the development of metal-air batteries, the technical challenges could soon be cleared out in a much faster pace than anticipated."

**More information:** Yunfei Bu et al, A Highly Efficient and Robust Cation Ordered Perovskite Oxides as a Bi-Functional Catalyst for Rechargeable Zinc-Air Batteries, *ACS Nano* (2017).  
[DOI: 10.1021/acsnano.7b06595](https://doi.org/10.1021/acsnano.7b06595)

Provided by Ulsan National Institute of Science and Technology

APA citation: Researchers introduce novel catalyst for rechargeable metal-air batteries (2017, October 25) retrieved 18 October 2021 from <https://techxplore.com/news/2017-10-catalyst-rechargeable-metal-air-batteries.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no*

*part may be reproduced without the written permission. The content is provided for information purposes only.*