

To be fully immersive, sources of haptic stimulation in VR apps need to be shown, researchers find

April 19 2018, by Bob Yirka



Inside the virtual reality headset, the participant sees a (virtual) wooden dowel that bridges their hands. In experiments, the participant held the dowel in a specific area to receive the haptic stimuli. During the visual and spatial stimulation, participants saw a white marble cue that visually reinforced the location of the haptic feedback. Credit: Berger et al., *Sci. Robot.* 3, eaar7010 (2018)

A team of researchers at Microsoft has found that for physical stimulation techniques to work as hoped in virtual reality applications, the user needs to be shown the source of the stimulation. If they are not the group notes in their Focus paper published in *Science Robotics*, they may actually feel less immersed.

Virtual reality games are more immersive than games displayed on a [video screen](#). But [researchers](#) have not been standing still; they want to make the experience even more immersive by adding other elements such as physical sensations in the hand when players touch objects, or the smells of cooking or burning. In short, they want to add all of our senses to the experience.

One of the ways that researchers have been looking to add sensory [experiences](#) is via slight vibrations of game controllers. Subtle vibrations, it has been noted, can give a sense of reality to an object such as a gun, or even a stick—a mechanism known as haptic feedback. But the researchers at Microsoft have found that it is not enough simply to vibrate an object—the user must see the source of the sensation to experience immersion.

The researchers compare what they have found to another type of

simulated reality—robots that look like humans. Researchers have found that as robots increasingly resemble humans, people experience feelings similar to those produced by actual human contact—but only up to a certain point. If the humanness of a [robot](#) reaches past that point, people often experience what has been called "the uncanny valley," in which the illusion is apparent, and the robot looks like nothing more than a collection of mechanical parts.

To reach their conclusions, the team at Microsoft studied volunteers wearing VR headsets and controllers interacting in a controlled virtual environment. The controllers were wooden dowels equipped with vibrating elements. The controllers allowed for tunneling, in which the vibrations make it seem to the user that the controller is being touched in different places. The team tested the immersiveness of the controller by modifying when and where the vibrations occurred and found that the best sensations occurred only when a virtual object was shown touching the [controller](#), giving the user an explanation for the sensations they were feeling.

More information: Christopher C. Berger et al. The uncanny valley of haptics, *Science Robotics* (2018). [DOI: 10.1126/scirobotics.aar7010](https://doi.org/10.1126/scirobotics.aar7010)

Abstract

During teleoperation and virtual reality experiences, enhanced haptic feedback incongruent with other sensory cues can reduce subjective realism, producing an uncanny valley of haptics.

© 2018 Tech Xplore

Citation: To be fully immersive, sources of haptic stimulation in VR apps need to be shown, researchers find (2018, April 19) retrieved 24 April 2024 from <https://techxplore.com/news/2018-04-fully-immersive-sources-haptic-vr.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.