


Printing with sound: Researchers use acoustic forces to print droplets that couldn't be printed before

31 August 2018



In acoustophoretic printing, soundwaves generate a controllable force that pulls each droplet off of the nozzle when it reaches a specific size and ejects it towards the printing target - much like picking apples from a tree! Credit: Daniele Foresti, Jennifer A. Lewis, Harvard University

Harvard University researchers have developed a new printing method that uses sound waves to generate droplets from liquids with an unprecedented range of composition and viscosity. This technique could finally enable the manufacturing of many new biopharmaceuticals, cosmetics, and food and expand the possibilities of optical and conductive materials.

"By harnessing acoustic forces, we have created a new technology that enables myriad materials to be printed in a drop-on-demand manner," said Jennifer Lewis, the Hansjorg Wyss Professor of Biologically Inspired Engineering at the Harvard John A. Paulson School of Engineering and Applied Sciences and the senior author of the paper.

Lewis is also a Core Faculty Member at the Wyss Institute for Biologically Inspired Engineering and the Jianming Yu Professor of Arts and Sciences at Harvard.

The research is published in *Science Advances*.

Liquid droplets are used in many applications from [printing](#) ink on paper to creating microcapsules for drug delivery. Inkjet printing is the most common technique used to pattern [liquid droplets](#), but it's only suitable for liquids that are roughly 10 times more viscous than water. Yet many fluids of interest to researchers are far more viscous. For example, biopolymer and cell-laden solutions, which are vital for biopharmaceuticals and bioprinting, are at least 100 times more viscous than water. Some sugar-based biopolymers could be as viscous as honey, which is 25,000 times more viscous than water.

The viscosity of these fluids also changes dramatically with temperature and composition, makes it even more difficult to optimize printing parameters to control droplet sizes.

"Our goal was to take viscosity out of the picture by developing a printing system that is independent from the material properties of the fluid," said Daniele Foresti, first author of the paper, the Branco Weiss Fellow and Research Associate in Materials Science and Mechanical Engineering at SEAS and the Wyss Institute.

To do that, the researchers turned to acoustic waves.


Thanks to gravity, any liquid can drip—from water dripping out of a faucet to the century-long pitch drop experiment. With gravity alone, droplet size remains large and drop rate difficult to control. Pitch, which has a viscosity roughly 200 billion

times that of water, forms a single drop per decade. biopolymers, optical resins and, even, liquid metals.

To enhance drop formation, the research team relies on generating sound waves. These pressure waves have been typically used to defy gravity, as in the case of acoustic levitation. Now, the researchers are using them to assist gravity, dubbing this new technique acoustophoretic printing.

Importantly, [sound waves](#) don't travel through the droplet, making the method safe to use even with sensitive biological cargo, such as living cells or proteins.

"Our technology should have an immediate impact on the pharmaceutical industry," said Lewis. "However, we believe that this will become an important platform for multiple industries."



"This is an exquisite and impactful example of the breadth and reach of collaborative research," said Dan Finotello, director of NSF's MRSEC program. "The authors have developed a new printing platform using acoustic-forces, which, unlike in other methods, are material-independent and thus offer tremendous printing versatility. The application space is limitless."

More information: "Acoustophoretic printing" *Science Advances* (2018).
advances.sciencemag.org/content/4/8/eaat1659

By controlling the target position, the ejected droplets can be carefully deposited and patterned anywhere. In this example, honey drops are patterned on a glass substrate. Credit: Daniele Foresti, Jennifer A. Lewis, Harvard University

Provided by Harvard John A. Paulson School of Engineering and Applied Sciences

The researchers built a subwavelength acoustic resonator that can generate a highly confined acoustic field resulting in a pulling force exceeding 100 times the normal gravitation forces (1 G) at the tip of the printer nozzle—that's more than four times the gravitational force on the surface of the sun.

This controllable force pulls each droplet off of the nozzle when it reaches a specific size and ejects it towards the printing target. The higher the amplitude of the sound waves, the smaller the droplet size, irrespective of the viscosity of the fluid.

"The idea is to generate an acoustic field that literally detaches tiny droplets from the nozzle, much like picking apples from a tree," said Foresti.

The researchers tested the process on a wide range of materials from honey to stem-cell inks,

APA citation: Printing with sound: Researchers use acoustic forces to print droplets that couldn't be printed before (2018, August 31) retrieved 22 October 2021 from <https://techxplore.com/news/2018-08-acoustic-droplets-couldnt.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.