


First proof of quantum computer advantage

18 October 2018



Credit: CC0 Public Domain

For many years, quantum computers were not much more than an idea. Today, companies, governments and intelligence agencies are investing in the development of quantum technology. Robert König, professor for the theory of complex quantum systems at the TUM, in collaboration with David Gosset from the Institute for Quantum Computing at the University of Waterloo and Sergey Bravyi from IBM, has now placed a cornerstone in this promising field.

Conventional computers obey the laws of classical physics. They rely on the binary numbers zero and one. These numbers are stored and used for mathematical operations. In conventional memory units, each bit—the smallest unit of information—is represented by a charge that determines whether the bit is set to one or zero.

In a [quantum](#) computer, however, a bit can be both zero and one at the same time. This is because the laws of [quantum physics](#) allow electrons to occupy multiple states at one time. Quantum bits, or qubits, thus exist in multiple overlapping states. This so-called superposition allows quantum

computers to perform operations on many values in one fell swoop, whereas a single conventional computer must execute these operations sequentially. The promise of [quantum computing](#) lies in the ability to solve certain problems significantly faster.

From conjecture to proof

König and his colleagues have now conclusively demonstrated the advantage of quantum computers. To this end, they developed a quantum circuit that can solve a specific difficult algebraic problem. The new circuit has a simple structure—it only performs a fixed number of operations on each qubit. Such a circuit is referred to as having a constant depth. In their work, the researchers prove that the problem at hand cannot be solved using classical constant-depth [circuits](#). They furthermore answer the question of why the quantum algorithm beats any comparable classical circuit: The quantum algorithm exploits the non-locality of quantum physics.

Prior to this work, the advantage of quantum computers had been neither proven nor experimentally demonstrated—notwithstanding that evidence pointed in this direction. One example is Shor's [quantum algorithm](#), which efficiently solves the problem of prime factorization. However, it is merely a complexity-theoretic conjecture that this problem cannot be efficiently solved without quantum computers. It is also conceivable that the right approach has simply not yet been found for classical computers.

Robert König considers the new results primarily as a contribution to complexity theory. "Our result shows that quantum information processing really does provide benefits—without having to rely on unproven complexity-theoretic conjectures," he says. Beyond this, the work provides new milestones on the road to quantum computers. Because of its simple structure, the new quantum circuit is a candidate for a near-term experimental realization of quantum algorithms.

More information: "Quantum advantage with shallow circuits," *Science* (2018).

[science.sciencemag.org/cgi/doi ...
1126/science.aar3106](https://science.sciencemag.org/cgi/doi/10.1126/science.aar3106)

Provided by Technical University Munich

APA citation: First proof of quantum computer advantage (2018, October 18) retrieved 20 January 2022 from <https://techxplore.com/news/2018-10-proof-quantum-advantage.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.