


At 3,836 mph, which way does the air flow?

March 12 2019, by Cory Nealon



The image above is a 3D computer simulation of air flowing over a hill creating turbulence at transonic speed. The ring-like features are eddies of air. Credit: James Chen/University at Buffalo

If you've ever been to an air show, or lived near an air force base, you're familiar with sonic booms.

These deafening noises are created by aircraft exceeding the speed of sound, roughly 767 mph (1234 km/h). They explain, in part, why passenger airliners cruise the skies at slower and less auditorily offensive speeds.

University at Buffalo aerospace engineer James Chen is working to solve problems associated with exceeding the [sound barrier](#).

"Imagine flying from New York City to Los Angeles in an hour. Imagine incredibly fast unmanned aerial vehicles providing more updated and nuanced information about Earth's atmosphere, which could help us better predict deadly storms," says Chen, Ph.D., assistant professor in the Department of Mechanical and Aerospace Engineering at UB's School of Engineering and Applied Sciences.

Chen is the corresponding author of a study published Jan. 3 in the *Journal of Engineering Mathematics*. The study pertains to Austrian physicist Ludwig Boltzmann's classical kinetic theory, which uses the motion of gas molecules to explain everyday phenomena, such as temperature and pressure.

Chen's work extends classical kinetic theory into high-speed aerodynamics, including [hypersonic speed](#), which begins at 3,836 mph (6173 km/h) or roughly five times the [speed of sound](#). The new study and others by Chen in influential academic journals attempt to solve long-standing problems associated with high-speed aerodynamics.

Supersonic passenger jets

The idea of supersonic passenger jets is not new. Perhaps the most famous is the Concorde, which flew from 1976-2003. While successful, it was dogged by noise complaints and expensive operating costs.

More recently, Boeing announced plans for a hypersonic airliner and NASA is working on a supersonic project called QueSST, short for Quiet Supersonic Technology.

"Reduction of the notorious sonic boom is a just a start. In [supersonic flight](#), we must now answer the last unresolved problem in [classical physics](#): turbulence," says Chen, whose work is funded by the U.S. Air Force's Young Investigator Program, which supports engineers and scientists who show exceptional ability and promise for conducting [basic research](#).

To create more efficient, less expensive and quieter aircraft that exceed the sound barrier, the research community needs to better understand what is happening with the air surrounding these vehicles.

"There is so much we don't know about the airflow when you reach hypersonic speeds. For example, eddies form around the aircraft creating turbulence that affect how aircraft maneuver through the atmosphere," he says.

Morphing continuum theory

To solve these complex problems, researchers have historically used wind tunnels, which are research laboratories that replicate the conditions vehicles encounter while in the air or space. While effective, these labs can be expensive to operate and maintain.

As a result, many researchers, including Chen, have pivoted toward direct numerical simulations (DNS).

"DNS with [high-performance computing](#) can help resolve turbulence problems. But the equations we have used, based upon the work of Navier and Stokes, are essentially invalid at supersonic and hypersonic

speeds," says Chen.

His work in the *Journal of Engineering Mathematics* centers on morphing continuum theory (MCT), which is based on the fields of mechanics and kinetic theory. MCT aims to provide researchers with computationally friendly equations and a theory to address problems with hypersonic turbulence.

"The Center for Computational Research at UB provides a perfect platform for my team and me at the Multiscale Computational Physics Lab to pursue these difficult high-speed aerodynamics problems with high-performance computing," says Chen.

Ultimately, the work could lead to advancements into how supersonic and hypersonic aircraft are designed, everything from the vehicle's shape to what materials it is made of. The goal, he says, is a new class of aircraft which are faster, quieter, less expensive to operate and safer.

More information: Louis B. Wonnell et al. First-order approximation to the Boltzmann–Curtiss equation for flows with local spin, *Journal of Engineering Mathematics* (2019). [DOI: 10.1007/s10665-018-9981-7](https://doi.org/10.1007/s10665-018-9981-7)

Provided by University at Buffalo

Citation: At 3,836 mph, which way does the air flow? (2019, March 12) retrieved 24 April 2024 from <https://techxplore.com/news/2019-03-mph-air.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.