

# Researchers reverse the flow of time on IBM's quantum computer

14 March 2019, by Christina Nunez




Image shows a time reversal procedure for a spreading wave packet that represents a quantum particle. The reversed state freely evolves into the original squeezed state, which is recovered with some precision -- in this case, 85 percent. (Image by Argonne National Laboratory. Credit: Argonne National Laboratory)

We all mark days with clocks and calendars, but perhaps no timepiece is more immediate than a mirror. The changes we notice over the years vividly illustrate science's "arrow of time"—the likely progression from order to disorder. We cannot reverse this arrow any more than we can erase all our wrinkles or restore a shattered teacup to its original form.

Or can we?

An international team of scientists led by the U.S. Department of Energy's (DOE) Argonne National Laboratory explored this question in a first-of-its-kind experiment, managing to return a computer briefly to the past. The results, [published March 13](#) in the journal *Scientific Reports*, suggest new paths for exploring the backward flow of time in [quantum systems](#). They also open new possibilities for quantum computer program testing and [error correction](#).

A quantum computer able to effectively jump back and clean up errors as it works could operate far more efficiently.

To achieve the time reversal, the research team developed an algorithm for IBM's public quantum computer that simulates the scattering of a particle. In [classical physics](#), this might appear as a billiard ball struck by a cue, traveling in a line. But in the quantum world, one scattered particle takes on a fractured quality, spreading in multiple directions. To reverse its quantum evolution is like reversing the rings created when a stone is thrown into a pond.

In nature, restoring this particle back to its original state—in essence, putting the broken teacup back together—is impossible.

The main problem is that you would need a "supersystem," or external force, to manipulate the particle's quantum waves at every point. But, the researchers note, the timeline required for this supersystem to spontaneously appear and properly manipulate the quantum waves would extend longer than that of the universe itself.

Undeterred, the team set out to determine how this complexity might be overcome, at least in principle. Their algorithm simulated an electron scattering by a two-level quantum system, "impersonated" by a quantum computer qubit—the basic unit of quantum information—and its related evolution in time. The electron goes from a localized, or "seen," state, to a scattered one. Then the algorithm throws the process in reverse, and the particle returns to its initial state—in other words, it moves back in time, if only by a tiny fraction of a second.

Given that quantum mechanics is governed by probability rather than certainty, the odds for achieving this time-travel feat were pretty good: The algorithm delivered the same result 85 percent of the time in a two-qubit quantum computer.

"We did what was considered impossible before," said Argonne senior scientist Valerii Vinokur, who led the research.

The result deepens our understanding of how the second law of thermodynamics—that a system will always move from order to entropy and not the other way around—acts in the quantum world. The researchers demonstrated in [previous work](#) that, by teleportating information, a local violation of the second law was possible in a quantum system separated into remote parts that could balance each other out.

"The results also give a nod to the idea that irreversibility results from measurement, highlighting the role that the concept of "measurement" plays in the very foundation of quantum physics," said article coauthor Gordey Lesovik of the Moscow Institute of Physics and Technology.

This is the same notion Austrian physicist Erwin Schrödinger captured with his famous thought experiment, in which a cat sealed in a box might remain both dead and alive until its status is monitored somehow. The researchers suspended their particle in this superposition, or form of quantum limbo, by limiting their measurements.

"This was the essential part of our algorithm," Vinokur said. "We measured the state of the system in the very beginning and at the very end, but did not interfere in the middle."

The finding may eventually enable better methods of error correction on quantum computers, where accumulated glitches generate heat and beget new ones. A [quantum computer](#) able to effectively jump back and clean up errors as it works could operate far more efficiently.

"At this moment, it's very hard to imagine all the implications this can have," Vinokur said. "I am optimistic, and I believe that it will be many."

The study also begs the question, can the researchers now figure out a way to make older folks young again? "Maybe," Vinokur jokes, "with the proper funding."

**More information:** G. B. Lesovik et al, Arrow of time and its reversal on the IBM quantum computer, *Scientific Reports* (2019). [DOI: 10.1038/s41598-019-40765-6](https://doi.org/10.1038/s41598-019-40765-6)

Provided by Argonne National Laboratory

APA citation: Researchers reverse the flow of time on IBM's quantum computer (2019, March 14)  
retrieved 17 January 2022 from <https://techxplore.com/news/2019-03-reverse-ibm-quantum.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*