

Novel denoising method generates sharper photorealistic images faster

11 June 2019



Credit: Siggraph

Monte Carlo computational methods are behind many of the realistic images in games and movies. They automate the complexities in simulating the physics of lights and cameras to generate high-quality renderings from samples of diverse image features and scenes. But the process of Monte Carlo rendering is slow and can take hours—or even days—to produce a single image, and oftentimes the results are still pixelated, or "noisy."

A global team of computer scientists from MIT, Adobe, and Aalto University has developed an innovative method for producing higher-quality [images](#) and scene designs in much less time by using a deep-learning-based approach that considerably cuts the noise in images. Their method results in sharper images that effectively capture intricate details from sample features, including complex lighting components like shadowing, indirect lighting, motion blur, and depth of field.

The researchers are set to present their work at SIGGRAPH 2019, held 28 July-1 August in Los Angeles. This annual gathering showcases the

world's leading professionals, academics, and creative minds at the forefront of computer graphics and interactive techniques.

"Our algorithm can produce clean images from noisy input images with very few samples, and could be useful for producing quick rendered previews while iterating on scene design," says study lead author Michaël Gharbi, research scientist at Adobe. Gharbi began the research as a Ph.D. student at MIT in the lab of Frédo Durand, who also is a coauthor.

The team's work focuses on so-called "denoising," a post-processing technique to reduce image noise in Monte Carlo rendering. It essentially retains the details of an image and removes anything that detracts from its sharpness. In previous work, computer scientists have developed methods that smooth the noise out by taking the average from the pixels in a sample image and neighboring pixels.

"This works reasonably well, and several movies have actually used this in production," notes coauthor Tzu-Mao Li, a recent Ph.D. graduate from MIT who also studied under Durand. "However, if the images are too noisy, oftentimes the post-processing methods are not able to recover clean and sharp images. Usually users still need hundreds of samples per pixel on average for an image with reasonable quality—a tedious, time-consuming process."

Somewhat comparable is the process of editing a photo in a graphics software program. If a user is not working from the original, raw file, altered versions of the photo will likely not result in a clear, sharp, high-res final image. A similar yet more complex problem is image denoising.

To this end, the researchers' new computational method involves working with the Monte Carlo samples directly, instead of average, noisy images

where most information has already been lost. Unlike typical deep learning methods that deal with images or videos, the researchers demonstrate a new type of convolutional network that can learn to denoise renderings directly from the raw set of Monte Carlo samples rather than from the reduced, pixel-based representations.

A key part of their work is a novel kernel-predicting computational framework that "splats" individual samples—colors and textures—onto nearby pixels to sharpen the overall composition of the image. In traditional image processing, a kernel is used for blurring or sharpening. Splatting is a technique that addresses motion blur or depth-of-field issues and makes it easier to even out a pixelated area of a sample.

In this work, the team's splatting algorithm generates a 2-D kernel for each sample, and "splats" the sample onto the image. "We argue that this is a more natural way to do the post-processing," says Li. The team trained their network using a random scene generator and extensively tested their method on a variety of realistic scenes, including various lighting scenarios such as indirect and direct illumination.

"Our method gives cleaner outputs at very low sample counts, where previous methods typically struggle," adds Gharbi.

In future work, the researchers intend to address scalability with their [method](#) to extend to more sample features and explore techniques to enforce frame-to-frame smoothness of the denoised images.

The paper, "Sample-based Monte Carlo Denoising Using a Kernel-Splatting Network," is also coauthored by Miika Aittala at MIT and Jaakko Lehtinen at Aalto University and Nvidia. For more details and a video, visit the team's project page.

More information: s2019.siggraph.org/

Provided by Association for Computing Machinery
APA citation: Novel denoising method generates sharper photorealistic images faster (2019, June 11)

retrieved 24 November 2020 from <https://techxplore.com/news/2019-06-denoising-method-sharper-photorealistic-images.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.