


Electrical engineering team develops 'beyond 5G' wireless transceiver

July 16 2019



The 'end-to-end transmitter-receiver' chip boasts a unique architecture combining digital and analog components on a single platform, resulting in ultra-fast data processing and reduced energy consumption. Credit: Steve Zylus / UCI

A new wireless transceiver invented by electrical engineers at the University of California, Irvine boosts radio frequencies into 100-gigahertz territory, quadruple the speed of the upcoming 5G, or fifth-generation, wireless communications standard.

Labeled an "end-to-end transmitter-receiver" by its creators in UCI's Nanoscale Communication Integrated Circuits Labs, the 4.4-millimeter-square silicon chip is capable of processing digital signals significantly faster and more energy-efficiently because of its unique digital-analog architecture. The team's innovation is outlined in a paper published recently in the *IEEE Journal of Solid-State Circuits*.

"We call our chip 'beyond 5G' because the combined speed and data rate that we can achieve is two orders of magnitude higher than the capability of the new wireless standard," said senior author Payam Heydari, NCIC Labs director and UCI professor of electrical engineering & computer science. "In addition, operating in a higher frequency means that you and I and everyone else can be given a bigger chunk of the bandwidth offered by carriers."

He said that academic researchers and communications circuit engineers have long wanted to know if wireless systems are capable of the high performance and speeds of fiber-optic networks. "If such a possibility could come to fruition, it would transform the telecommunications industry, because wireless infrastructure brings about many advantages over wired systems," Heydari said.

His group's answer is in the form of a new [transceiver](#) that leapfrogs over the 5G wireless standard—designated to operate within the range of 28 to 38 gigahertz—into the 6G standard, which is expected to work at 100 gigahertz and above.

"The Federal Communications Commission recently opened up new

frequency bands above 100 gigahertz," said lead author and postgraduate researcher Hossein Mohammadnezhad, a UCI grad student at the time of the work who this year earned a Ph.D. in electrical engineering & computer science. "Our new transceiver is the first to provide end-to-end capabilities in this part of the spectrum."

Having transmitters and receivers that can handle such high-frequency data communications is going to be vital in ushering in a new wireless era dominated by the "internet of things," autonomous vehicles, and vastly expanded broadband for streaming of high-definition video content and more.

While this digital dream has driven technology developers for decades, stumbling blocks have begun to appear on the road to progress. According to Heydari, changing frequencies of signals through modulation and demodulation in transceivers has traditionally been done via digital processing, but integrated circuit engineers have in recent years begun to see the physical limitations of this method.

"Moore's law says we should be able to increase the speed of transistors—such as those you would find in transmitters and receivers—by decreasing their size, but that's not the case anymore," he said. "You cannot break electrons in two, so we have approached the levels that are governed by the physics of semiconductor devices."

To get around this problem, NCIC Labs researchers utilized a chip architecture that significantly relaxes digital processing requirements by modulating the digital bits in the analog and radio-frequency domains.

Heydari said that in addition to enabling the transmission of signals in the range of 100 gigahertz, the transceiver's unique layout allows it to consume considerably less energy than current systems at a reduced overall cost, paving the way for widespread adoption in the consumer

electronics market.

Co-author Huan Wang, a UCI doctoral student in electrical engineering & computer science and an NCIC Labs member, said that the technology combined with phased array systems—which use multiple antennas to steer beams—facilitates a number of disruptive applications in wireless data transfer and communication.

"Our innovation eliminates the need for miles of fiber-optic cables in data centers, so data farm operators can do ultra-fast [wireless](#) transfer and save considerable money on hardware, cooling and power," he said.

More information: Hossein Mohammadnezhad et al, A 115-135-GHz 8PSK Receiver Using Multi-Phase RF-Correlation-Based Direct-Demodulation Method, *IEEE Journal of Solid-State Circuits* (2019). [DOI: 10.1109/JSSC.2019.2920117](https://doi.org/10.1109/JSSC.2019.2920117)

Provided by University of California, Irvine

Citation: Electrical engineering team develops 'beyond 5G' wireless transceiver (2019, July 16) retrieved 18 April 2024 from <https://techxplore.com/news/2019-07-electrical-team-5g-wireless-transceiver.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--