

Centimeter-long snail robot is powered with light

July 31 2019



Photo of the snail robot next to a garden banded snail (*Cepaea hortensis*). Credit: UW Physics

Researchers at the Faculty of Physics at the University of Warsaw, Poland, used liquid crystal elastomer technology to demonstrate a bio-inspired micro-robot capable of mimicking the adhesive locomotion of snails and slugs in natural scale. The 10-millimeter long soft robot harvests energy from a laser beam and can crawl on horizontal surfaces, climb vertical walls and an upside-down glass ceiling.

Crawling by traveling deformation of a soft body is a widespread mode of locomotion—from microscopic nematodes to earthworms to gastropods—animals across scales use it to move around different, often challenging environments. Snails, in particular, use mucus—a slippery, aqueous secretion—to control the interaction between their ventral foot and the surface. Their adhesive locomotion has some [unique properties](#): it can be used on different surfaces, including wood, metal, glass, teflon (PTFE) or sand in various configurations, including crawling upside-down. For robotics, low complexity of a single continuous foot could offer resistance to adverse external conditions and wear and tear, while the constant contact with the ground may provide high margins of failure resistance. Adhesive locomotion in robots have been limited so far to externally powered, centimeter-scale demonstrators with electro-mechanical drives.

Liquid crystalline elastomers (LCEs) are [smart materials](#) that can exhibit macroscopic, fast, reversible shape change under different stimuli, including illumination with [visible light](#). They can be fabricated in various forms in the micro- and millimeter scales and, through molecular orientation engineering, can perform complex modes of actuation.

Researcher from the University of Warsaw with colleagues from the Department of Mathematical Sciences at Xi'an Jiaotong-Liverpool University in Suzhou, China, have now developed a natural-scale soft snail robot based on the opto-mechanical response of a liquid crystalline elastomer continuous actuator. The robot [propulsion](#) is driven by light-induced traveling deformations of the soft body and their interaction with the artificial mucus layer (glycerin). The robot can crawl at the speed of a few millimeters per minute, about 50 times slower than [snails](#) of comparable size, also up a vertical wall, on a glass ceiling and across obstacles.

"Despite the slow speed, need of constant lubrication and low energy efficiency, our elastomer soft robot offers unique insights into micromechanics with smart materials and may also provide a convenient platform for studying [adhesive](#) locomotion," says Piotr Wasylczyk, head of the Photonic Nanostructure Facility at the Faculty of Physics of the University of Warsaw, Poland, who led the study.

Researchers, who have already demonstrated a natural-scale light-power caterpillar [robot](#), believe that a new generation of smart materials, together with novel fabrication techniques will soon allow them to explore more areas of small-scale soft robotics and micro-mechanics.

The research on soft micro-robots and polymer actuators is funded by the National Science Center (Poland) within the project "Micro-scale actuators based on photo-responsive polymers" and by the Polish Ministry of Science and Higher Education with the "Diamentowy Grant" awarded to M. Rogoz.

More information: Mikołaj Rogóż et al, A Millimeter-Scale Snail Robot Based on a Light-Powered Liquid Crystal Elastomer Continuous Actuator, *Macromolecular Rapid Communications* (2019). [DOI: 10.1002/marc.201900279](#)

Provided by University of Warsaw

Citation: Centimeter-long snail robot is powered with light (2019, July 31) retrieved 23 April 2024 from <https://techxplore.com/news/2019-07-centimeter-long-snail-robot-powered.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.