


Artificial brains may need sleep too

June 8 2020



Sleep may be as vital to intelligent machines of the future as it is to us. Credit: Los Alamos National Laboratory

No one can say whether androids will dream of electric sheep, but they will almost certainly need periods of rest that offer benefits similar to those that sleep provides to living brains, according to new research from Los Alamos National Laboratory.

"We study spiking [neural networks](#), which are systems that learn much

as living brains do," said Los Alamos National Laboratory computer scientist Yijing Watkins. "We were fascinated by the prospect of training a neuromorphic processor in a manner analogous to how humans and other biological systems learn from their environment during childhood development."

Watkins and her research team found that the [network](#) simulations became unstable after continuous periods of unsupervised learning. When they exposed the networks to states that are analogous to the waves that living brains experience during sleep, stability was restored. "It was as though we were giving the neural networks the equivalent of a good night's rest," said Watkins.

The discovery came about as the research team worked to develop neural networks that closely approximate how humans and other [biological systems](#) learn to see. The group initially struggled with stabilizing simulated neural networks undergoing unsupervised dictionary training, which involves classifying objects without having prior examples to compare them to.

"The issue of how to keep learning systems from becoming unstable really only arises when attempting to utilize biologically realistic, spiking neuromorphic processors or when trying to understand biology itself," said Los Alamos computer scientist and study coauthor Garrett Kenyon. "The vast majority of machine learning, deep learning, and AI researchers never encounter this issue because in the very artificial systems they study they have the luxury of performing global mathematical operations that have the effect of regulating the overall dynamical gain of the system."

The researchers characterize the decision to expose the networks to an artificial analog of sleep as nearly a last ditch effort to stabilize them. They experimented with various types of noise, roughly comparable to

the static you might encounter between stations while tuning a radio. The best results came when they used waves of so-called Gaussian noise, which includes a wide range of frequencies and amplitudes. They hypothesize that the noise mimics the input received by biological neurons during [slow-wave sleep](#). The results suggest that slow-wave sleep may act, in part, to ensure that [cortical neurons](#) maintain their stability and do not hallucinate.

The groups' next goal is to implement their algorithm on Intel's Loihi neuromorphic chip. They hope allowing Loihi to sleep from time to time will enable it to stably process information from a silicon retina camera in real time. If the findings confirm the need for sleep in artificial brains, we can probably expect the same to be true of androids and other intelligent machines that may come about in the future.

Watkins will be presenting the research at the Women in Computer Vision Workshop on June 14 in Seattle.

Provided by Los Alamos National Laboratory

Citation: Artificial brains may need sleep too (2020, June 8) retrieved 19 April 2024 from <https://techxplore.com/news/2020-06-artificial-brains.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--