


Aluminum-anode batteries offer sustainable alternative

5 April 2021, by David Nutt



This magnified image shows aluminum deposited on carbon fibers in a battery electrode. The chemical bond makes the electrode thicker and its kinetics faster, resulting in a rechargeable battery that is safer, less expensive and more sustainable than lithium-ion batteries. Credit: Cornell University

The cost of harvesting solar energy has dropped so much in recent years that it's giving traditional energy sources a run for their money. However, the challenges of energy storage—which require the capacity to bank an intermittent and seasonally variable supply of solar energy—have kept the technology from being economically competitive.

Cornell University researchers led by Lynden Archer, Dean and Professor of Engineering, have been exploring the use of low-cost materials to create [rechargeable batteries](#) that will make energy storage more affordable. Now, they have shown that a new technique incorporating [aluminum](#) results in rechargeable batteries that offer up to 10,000 error-free cycles.

This new kind of battery could provide a safer and more environmentally friendly alternative to [lithium-ion batteries](#), which currently dominate the market but are slow to charge and have a knack for catching fire.

The team's paper, "Regulating Electrodeposition Morphology in High-Capacity Aluminium and Zinc Battery Anodes Using Interfacial Metal-Substrate Bonding," published in *Nature Energy*.

Among the advantages of aluminum is that it is abundant in the earth's crust, it is trivalent and light, and it therefore has a high capacity to store more energy than many other metals. However, aluminum can be tricky to integrate into a battery's electrodes. It reacts chemically with the glass fiber separator, which physically divides the anode and the cathode, causing the battery to [short circuit](#) and fail.

The researchers' solution was to design a substrate of interwoven carbon fibers that forms an even stronger chemical bond with aluminum. When the battery is charged, the aluminum is deposited into the carbon structure via [covalent bonding](#), i.e., the sharing of electron pairs between aluminum and carbon atoms.

While electrodes in conventional rechargeable batteries are only two dimensional, this technique uses a three-dimensional—or nonplanar—architecture and creates a deeper, more consistent layering of aluminum that can be finely controlled.

The aluminum-anode batteries can be reversibly charged and discharged one or more orders of magnitude more times than other aluminum rechargeable batteries under practical conditions.

More information: Jingxu Zheng et al, Regulating electrodeposition morphology in high-capacity aluminium and zinc battery anodes using interfacial metal–substrate bonding, *Nature Energy* (2021). [DOI: 10.1038/s41560-021-00797-7](https://doi.org/10.1038/s41560-021-00797-7)

Provided by Cornell University

APA citation: Aluminum-anode batteries offer sustainable alternative (2021, April 5) retrieved 26 May 2022 from <https://techxplore.com/news/2021-04-aluminum-anode-batteries-sustainable-alternative.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.