

# How simple liquids like water can perform complex calculations

11 January 2022




Fig. 1 In reservoir computing, information propagation is like rippling waves on the surface of a body of water; hence, the term “reservoir” is used. The underwater electrode pictured is the actual multi-terminal electrode used in this study. Credit: Megumi Akai-Kasaya et al.

nonlinear dynamical system—the reservoir—are used to perform much of the calculation. Various nonlinear dynamical systems from quantum processes to optical laser components have been considered as reservoirs. In this study, the researchers looked at the ionic conductance of electrochemical solutions.

"Our simple testing device consists of 90 pairs of planar electrodes with an ionic [solution](#) dropped on its surface," explains Professor Megumi Akai-Kasaya, lead author of the study. "The response voltage to the [input voltage](#) is then used as the response of the reservoir." This voltage response is due to both the ionic currents that pass through the solution and the electrochemical current. This input–output relationship is both nonlinear and reproducible, which makes it suitable for use in [reservoir](#) computing. A unique multiway data acquisition system on the device controls the readout nodes, which enables parallel testing.

After many decades of astonishing developments, advances in semiconductor-based computing are beginning to slow as transistors reach their physical limits in size and speed. However, the requirements for computing continue to grow, especially in artificial intelligence, where neural networks often have several millions of parameters. One solution to this problem is reservoir computing, and a team of researchers led by Osaka University, with colleagues from the University of Tokyo and Hokkaido University, have developed a simple system based on electrochemical reactions in Faradic current that they believe will jump-start developments in this field.

Reservoir computing is a relatively recent idea in computing. Instead of traditional binary programs run on semiconductor chips, the reactions of a




Fig. 2 Physical reservoir computing and the construction of a molecular-based reservoir. (a) Structure of traditional reservoir computing. (b) Concept of our physical reservoir computing system. Credit: Megumi Akai-Kasaya et al., *Advanced Science*

The researchers used the device to evaluate two liquids: polyoxometalate molecules in solution and deionized water. The system displayed a "feedforward connection" between nodes, regardless of which sample was used. However, there were differences. "The polyoxometalate

solution increased the diversity of the response current, which makes it good at predicting periodic signals," says Professor Akai-Kasaya. "But it turns out that deionized water is best for solving second-order nonlinear problems." The good performance of these solutions demonstrates their potential for more complicated tasks, such as handwriting font recognition, isolated word recognition, and other classification tasks.

(2021). DOI: [10.1002/adv.202104076](https://doi.org/10.1002/adv.202104076)

Provided by Osaka University




Fig. 3 (a) Structure of the polyoxometalate (POM) molecule. (b) Schematic of the electrochemical-reaction-based reservoir. (c) Responses of the POM solution (left) and deionized water (right) to a sinusoidal signal and their prediction performances on a quadruple sine (QDW) target signal. (d) Prediction performances of the POM solution and water on a nonlinear target signal. Credit: Megumi Akai-Kasaya et al., *Advanced Science*

The researchers believe that proton or ion transfer with minimal [electrochemical reactions](#) over short durations has the potential for development as a more computationally powerful computing system that is low in cost and energy efficient. The simplicity of the proposed [system](#) opens up exciting new opportunities for developing computing systems based on electrochemical ion reactions.

**More information:** Shaohua Kan et al, Physical Implementation of Reservoir Computing through Electrochemical Reaction, *Advanced Science*

APA citation: How simple liquids like water can perform complex calculations (2022, January 11)  
retrieved 23 January 2022 from <https://techxplore.com/news/2022-01-simple-liquids-complex.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*