


Graphene unlocks the promise of lithium sulfur batteries

December 18 2017



Argonne researchers and their collaborators have brought lithium sulfur batteries closer to reality by creating a new cathode material made of graphene-wrapped lithium sulfide. Credit: Nature Energy

Many battery scientists are interested in the potential of lithium sulfur

batteries because, at least in theory, they offer a high energy density at relatively low cost. However, lithium sulfur batteries face a number of challenges, including the low electrical conductivity of sulfur and the tendency of the cathode to expand significantly in size during the discharge cycle—a tendency that prevents the cathode material from being packed as densely in the battery as scientists would like.

To combat these problems and bring lithium sulfur batteries closer to reality, researchers at the U.S. Department of Energy's (DOE) Argonne National Laboratory, the University of Illinois at Chicago (UIC) and Oregon State University have developed a new [cathode material](#) made of [lithium sulfide](#) that is encapsulated by graphene.

To make the [cathode](#) material, Argonne chemists Jun Lu and Khalil Amine heated [lithium metal](#) and then exposed it to carbon disulfide gas, a common industrial solvent. The creation of lithium sulfide, as well as the graphene encapsulation, happened spontaneously.

"This is quite a beautiful reaction, because it creates a common compound in a single step," Lu said. "The design seems quite interesting for lithium sulfide electrodes, because of the improved conductivity, stability and loading. Most importantly, this reaction can be easily scaled up for industrial production."

The study, published in *Nature Energy*, helps to resolve some of the challenges facing lithium sulfur batteries. First, because the lithium sulfide cathode material already contains the lithium (as it would in the fully discharged state), the Argonne scientists expect the volume won't expand in the cathode during cycling.

Because of its compactness and enhanced conductivity, the graphene-wrapped lithium sulfide composite allows for high mass loading—one of the key factors that will determine the possible practical applications of

lithium [sulfur](#) batteries. Additionally, a lithium sulfide cathode can be coupled with non-lithium-metal anodes, which could avoid the problem of dendrites forming in many lithium-anode-based batteries.

The material was studied using transmission electron microscopy at Argonne's Center for Nanoscale Materials and in-situ synchrotron X-ray techniques at Argonne's Advanced Photon Source, which are DOE Office of Science User Facilities.

A paper based on the study, "Burning [lithium](#) in CS₂ for high-performing compact Li₂S–graphene nanocapsules for Li–S batteries," appeared in the June 12 issue of *Nature Energy*.

More information: Guoqiang Tan et al. Burning lithium in CS₂ for high-performing compact Li₂S–graphene nanocapsules for Li–S batteries, *Nature Energy* (2017). [DOI: 10.1038/nenergy.2017.90](https://doi.org/10.1038/nenergy.2017.90)

Provided by Argonne National Laboratory

Citation: Graphene unlocks the promise of lithium sulfur batteries (2017, December 18)
retrieved 10 April 2024 from
<https://techxplore.com/news/2017-12-graphene-lithium-sulfur-batteries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
