

Small flying robots haul heavy loads

October 24 2018



A FlyCroTug with microspines engaged on a roofing tile so that it can pull up a water bottle. Credit: Kurt Hickman

A closed door is just one of many obstacles that poses no barrier to a new type of flying, micro, tugging robot called a FlyCroTug. Outfitted with advanced gripping technologies and the ability to move and pull on objects around it, two FlyCroTugs can jointly lasso the door handle and heave the door open.



Developed in the labs of Mark Cutkosky, the Fletcher Jones Chair in the School of Engineering at Stanford University, and Dario Floreano at the École Polytechnique Fédérale de Lausanne in Switzerland, FlyCroTugs are <u>micro air vehicles</u> that the researchers have modified so the vehicles can anchor themselves to various surfaces using adhesives inspired by the feet of geckos and insects, previously developed in Cutkosky's lab.

With these attachment mechanisms, FlyCroTugs can pull objects up to 40 times their weight, like door handles in one scenario, or cameras and water bottles in a rescue situation. Similar vehicles can only lift objects about twice their own weight using aerodynamic forces.

"When you're a small <u>robot</u>, the world is full of large obstacles," said Matthew Estrada, a graduate student at Stanford and lead author of a paper on FlyCroTugs, published Oct. 25 in *Science Robotics*. "Combining the <u>aerodynamic forces</u> of our aerial <u>vehicle</u> along with interaction forces that we generate with the attachment mechanisms resulted in something that was very mobile, very forceful and micro as well."

The researchers say the FlyCroTugs' small size means they can navigate through snug spaces and fairly close to people, making them useful for search and rescue. Holding tightly to surfaces as they tug, the tiny robots could potentially move pieces of debris or position a camera to evaluate a treacherous area.

Taking a cue from nature

As with most projects in Cutkosky's lab, the FlyCroTugs were inspired by the natural world. Hoping to have an air vehicle that was fast, small and highly maneuverable but also able to move large loads, the researchers looked to wasps.

"Wasps can fly rapidly to a piece of food, and then if the thing's too



heavy to take off with, they drag it along the ground. So this was sort of the beginning inspiration for the approach we took," said Cutkosky, who is a co-author of the paper.

The researchers read studies on wasp prey capture and transport, which identify the ratio of flight-related muscle to total mass that determines whether a wasp flies with its prey or drags it. They also followed the lead of the wasp in having different attachment options depending on where the FlyCroTugs land.

For smooth surfaces, the robots have gecko grippers, non-sticky adhesives that mimic a gecko's intricate toe structures and hold on by creating intermolecular forces between the adhesive and the surface. For rough surfaces, these robots are equipped with 32 microspines, a series of fishhook-like metal spines that can individually latch onto small pits in a surface.

Each FlyCroTug has a winch with a cable and either microspines or gecko adhesive in order to tug. Beyond those fixed features they are otherwise highly modifiable. The location of the grippers can vary depending on the surface where they will be landing, and the researchers can also add parts for ground-based movement, such as wheels. Getting all of these features onto a small air vehicle with twice the weight of a golf ball was no small feat, according to the researchers.

"People tend to think of drones as machines that fly and observe the world, but flying insects do many other things—such as walking, climbing, grasping, building—and social insects can even cooperate to multiply forces," said Floreano, who was senior author on the paper. "With this work, we show that small drones capable of anchoring to the environment and collaborating with fellow drones can perform tasks typically assigned to humanoid robots or much larger machines."



Interacting with the world

Drones and other small flying robots may seem like all the rage these days but the FlyCroTugs—with their ability to navigate to remote locations, anchor and pull—fall into a more specific niche, according to Cutkosky.

"There are many laboratories around the world that are starting to work with <u>small drones</u> or air vehicles, but if you look at the ones that are also thinking about how these little vehicles can interact physically with the world, it's a much smaller set," he said.





The FlyCroTug design was inspired by wasps' ability to latch onto a surface and drag heavy prey. Credit: Estrada et al., Sci. Robot. 3, eaau6903 (2018)



The researchers can successfully open a door with two FlyCroTugs. They also had one fly atop a crumbling structure and haul up a camera to see inside. Next, they hope to work on autonomous control and the logistics of flying several vehicles at once.

"The tools to create vehicles like this are becoming more accessible," said Estrada. "I'm excited at the prospect of increasingly incorporating these attachment mechanisms into the designer's tool belt, enabling robots to take advantage of interaction forces with their environment and put these to useful ends."

More information: M.A. Estrada el al., "Forceful manipulation with micro–air vehicles," *Science Robotics* (2018). robotics.sciencemag.org/lookup ... /scirobotics.aau6903

Provided by Stanford University

Citation: Small flying robots haul heavy loads (2018, October 24) retrieved 3 May 2024 from <u>https://techxplore.com/news/2018-10-small-robots-haul-heavy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.