


# Improving 3-D-printed prosthetics and integrating electronic sensors

April 4 2019

---



The mold of local teen Josie Fraticelli's hand that was scanned during the development of a personalized prosthetic. Photo by Logan Wallace. Credit: Virginia Tech

With the growth of 3-D printing, it's entirely possible to 3-D print your

own prosthetic from models found in open-source databases.

But those models lack personalized electronic user interfaces like those found in costly, state-of-the-art prosthetics.

Now, a Virginia Tech professor and his interdisciplinary team of undergraduate student researchers have made inroads in integrating electronic sensors with personalized 3-D-printed prosthetics—a development that could one day lead to more affordable electric-powered prosthetics.

This newly published research out of the lab of Blake Johnson, a Virginia Tech assistant professor in industrial and [systems engineering](#), took a step forward in improving the functionalities of 3-D-printed personalized wearable systems.

By integrating electronic sensors at the intersection between a [prosthetic](#) and the wearer's tissue, the researchers can gather information related to prosthetic function and comfort, such as the pressure across wearer's tissue, that can help improve further iterations of the these types of prosthetics.

The integration of materials within form-fitting regions of 3-D-printed prosthetics via a conformal 3-D printing technique, instead of manual integration after printing, could also pave the way for unique opportunities in matching the hardness of the wearer's tissue and and integrating sensors at different locations across the form-fitting interface. Unlike traditional 3-D printing that involves depositing material in a layer-by-layer fashion on a [flat surface](#), conformal 3-D printing allows for deposition of materials on curved surfaces and objects.

According to Yuxin Tong, an industrial and systems engineering

graduate student and first author of the published study, the ultimate goal is to create engineering practices and processes that can reach as many people as possible, starting with an effort to help develop a prosthetic for one local teen.

"Hopefully, every parent could follow the description from the paper we published and develop a low-cost personalized prosthetic hand for his or her child," Tong said.

To develop the prosthetics integrated with electronic sensors, the researchers started with 3-D scanning data, which is similar to taking pictures at various angles to get the full form of an object—in this case, a mold of the teenager's limb.

They then used 3-D scanning data to guide the integration of sensors into the form-fitting cavity of the prosthetic using a conformal 3-D printing technique.

The process developed by the research team will lend itself to further applications in personalized medicine and design of wearable systems.

"Personalizing and modifying the properties and functionalities of wearable system interfaces using 3-D scanning and 3-D printing opens the door to the design and manufacture of new technologies for human assistance and health care as well as examining fundamental questions associated with the function and comfort of wearable systems," Johnson said.

Johnson's research into prosthetic hands was inspired when he learned about his colleague's daughter, Josie Fraticelli, then 12-years old, who had been born with amniotic band syndrome. While in utero, the development of her hand stopped. String-like amniotic bands restricted [blood flow](#) and affected the development of right hand, causing a lack of

formation beyond the knuckles.

Johnson used his related research expertise in additive biomanufacturing and a team of interdisciplinary undergraduate researchers to 3-D print the bionic hand for Fraticelli that would become the basis of the now-published research.

As they worked with Fraticelli, they continued tweaking the prototype prosthetic by developing new additive manufacturing techniques that would allow for a better fit to Fraticelli's palm, creating a more comfortable, form-fitting prosthetic device.

They validated that the personalization of the prosthetic increased the contact between Fraticelli's tissue and the prosthesis by nearly fourfold as compared to non-personalized devices. This increased [contact area](#) helped them pinpoint where to deploy sensing electrode arrays to test the pressure distribution, which helped them to further improve the design.

Sensing experiments were conducted using two personalized prosthetics with and without sensing electrode arrays. By running these experiments with Fraticelli, they found that the pressure distribution was different when she relaxed her hand versus holding her hand in a flexed posture.

"The mismatch between the soft skin and the rigid interface is still a problem that will reduce the conformity," said Tong. "The sensing electrode arrays may open another new area to improve the prosthetics design from the perspective of distributing a better balance of pressure."

Overall, Fraticelli does feel that the new personalized prosthetic improves her comfort level. Since her hand is soft and changeable under different postures and the prosthetic material is rigid and fixed, the level of conformity may continue to change.

Personalized prosthetics still have space for improvements, and Johnson's team will continue to research and develop new techniques in additive manufacturing to make improvements on wearable bionic devices.

**More information:** Yuxin Tong et al. Low-cost sensor-integrated 3D-printed personalized prosthetic hands for children with amniotic band syndrome: A case study in sensing pressure distribution on an anatomical human-machine interface (AHMI) using 3D-printed conformal electrode arrays, *PLOS ONE* (2019). [DOI: 10.1371/journal.pone.0214120](https://doi.org/10.1371/journal.pone.0214120)

Provided by Virginia Tech

Citation: Improving 3-D-printed prosthetics and integrating electronic sensors (2019, April 4) retrieved 2 March 2024 from <https://techxplore.com/news/2019-04-d-printed-prosthetics-electronic-sensors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.